

**BLANK
PAGE**

R: 1878.

Filed

1877.

Examined by C. H. Cranwell, C. S.

Compared by

FIELD NOTES

OF

THE SURVEY OF THE additional Subdivisions

of Township No 13 North, Range No 5 East
of the Salt Lake Meridian in Utah Territory.

BY

U. S. DEPUTY SURVEYOR,

Under his Contract No. 77

dated June 12th, 1877.

R.

Survey commenced

July 0th, 1877.

Survey completed

July 30th, 1877.

FOR CHAINMEN.

2

We Joshua Eldredge
and J. S. Eldredge,
do solemnly swear that we will faithfully execute the duties of chain carriers;
that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Joshua Eldredge
J. S. Eldredge

Subscribed and sworn to before me

this 27th day of June, 1877

J. C. Bailey
W. S. Draper,

BOOK-A-167

wnship 13, aorth R. 5, East -

| | | | | | |
|----|----|----|----|----|----|
| 6 | 5 | 4 | 3 | 2 | 1 |
| + | + | + | + | + | - |
| 7 | 8 | 9 | 10 | 11 | 12 |
| + | + | + | + | + | - |
| 18 | 17 | 16 | 15 | 14 | 13 |
| + | + | + | + | + | - |
| 19 | 20 | 21 | 22 | 23 | 24 |
| + | + | + | + | + | - |
| 30 | 29 | 28 | 27 | 26 | 25 |
| + | + | + | + | + | - |
| 31 | 32 | 33 | 34 | 35 | 36 |
| - | - | - | - | - | - |

FOR AXEMAN.

I, Joshua Eldridge
do solemnly swear that I will well and
truly perform the duties of axeman, ac-
cording to instructions given me, and to
the best of my skill and ability.

Joshua Eldridge

Subscribed and sworn to before me
this 27th day of June, 1877.

J. C. Bailey
U. S. Dep. Sher.

| | |
|---------|-------|
| Chains, | 8.50 |
| | 32.00 |
| | 40.00 |
| | 43.00 |
| | 78.75 |
| | 80.00 |

Additional Subdivisions
T. 13 S., R. 5 E.,

July 10, 1877.

From a limestone 14 x 10 x
4, 10 in. deep, marked 4 notches
on E. & S. edges, being
the established corner to

Sec. 20, 21, 28 & 29, I run
South, as a random line
Lat. Secs. 28 & 29.

chain.

Var. 17° 45' E.

8.50 Road bears E & W.

32.00 Brook runs E.

40.00 Set temp. 1/4 sec. cor.

43.00 Ravine chain E.

78.75

80.00 Set temporary cor. to Secs,
28 & 29, 32 & 33,

thence East as random
line Lat. Secs. 28 & 33

Var. 17° 45' E.

Descend,

25

Additional Subdivisions of

440.00 To a parish 150 links

South of a road said -
stone Post 8 x 11, in, marked1/4 on N. side being the
established 1/4 sec. cor.
between said sections,
being about 3 chains west
of Main Street, in the town
of Newellville, from
which corner run

South 8° 05' W. which

line lot. Sec. 28 1/3 3

Deeded to,

40.00 To the temporary corner,
where I set at Sandtown

18 x 11 x 8, 12 in. deep

Marked 4 notches on

E. & 10 on S. Edges, &

marked w. marks of
stone, for cor. to Secs.

40.00

80.00

T. 13 N. R. 5 E. S. L. Meridian,
 28, 24, 32 7³/8 3,
 Land East slope,
 Soil & rock.
 At timber.

North of tree line
 alt. Seco. 28 7/8 9
 Var. 17° 45' E.

Note: The topography is glacial
 no random line as above.—

40.00 set Sandstone 18 x 13 x 9,
 12 in. deep, marked 1/4 on N.
 side & raised mound of
 stones for 1/4 sec. cor.

80.00 To the established cor.
 to Seco. 20, 21, 28 7/8 4,
 Land East slope,
 Soil & rock.

At timber.

Note: The 1/4 sec. cor.

Art. Secs. 28 & 33, from
which I should have
started, could not
be readily found, there-
fore the hills were
run as returned, the
corner from which I
started being found &
identified by me.

July 10th 1877

General Description.
This additional survey
includes all the
surveyable land in
this township.

July 10th 1877,
T. C. Bailey,
Dep. Sch.

LIST OF NAMES.

8

*A list of the names of the individuals
employed to assist in running, measur-
ing or marking the lines and corners
described in the foregoing Field Notes
of the additional Survey
of the subdivision lines
of Township 13 North
Range 5 East of
the Salt Lake Mer-
idian, Utah Territory,*

showing the respective capacities in
which they acted.

J. A. Eldridge Chainman.
J. S. Eldridge Chainman.
J. J. Eldridge Flagman.
J. W. Eldridge Axeman.

We hereby certify that we have assisted

Thomas C. Bailey
Deputy Surveyor in surveying the
additonal subdivision
lies in Township 13
North Range 5 East
of the Salt Lake Mer-
idian, Utah Territory,

11
and that said lines have
been in all respects, to the best of our
knowledge and belief, well and faithfully
surveyed, and the boundary monuments
planted according to the instructions
furnished by the Surveyor General.

Joshua Eldridge
Chainman.
J. S. Eldridge Chainman.

Joshua Eldridge Flagman.
Axeman.

Subscribed and sworn to by the
above named persons, before me, a U. S.

As. Surveyor for the County
Surveying Dist., in the Territory
of Utah, this 19th day of July
1872.

J. C. Bailey
U. S. As. Surveyor.

I, Dennis C. Bailey
Deputy Surveyor, do solemnly swear
that in pursuance of a contract with
Chas. W. Hinckley
Surveyor General of the public lands of
the United States in the Territory of
Utah, bearing date the 12th day of
June 1877, and in strict
conformity to the laws of the United
States, the Manual of Surveying Instruc-
tions, and the instructions furnished by
the said Surveyor General, I have faith-
fully surveyed the additional
Subdivisions lies in
Parish's 13th orch,
Right 5 East of
the Salt Lake Meri-
dian,

13

B00

U. S. SUR

Salt Lake

The fore

Additio

Township

Executed

Under

day of

Octo

examined

planation

surveys th

o

in the Territory aforesaid, and do further solemnly swear that the foregoing are the true and original Field Notes of such survey.

Thomas C. Bailey
Deputy Surveyor.

Subscribed by the said Thomas
C. Bailey Deputy Surveyor
and sworn to before me, a Notary
Public for the
county of Salt Lake, in the Terri-
tory of Utah, this 2^d day of October
1877.

James J. Hinckley
Notary Public

BOOK-A-167

U. S. SURVEYOR GENERAL'S OFFICE.

Salt Lake City, Utah, Oct 29th 1877

The foregoing field notes of the survey of
Additional subdivision lines

Township No. 13 N. Range No. 5 E.

Executed by C. C. Bailey

Under his contract of the 12th

day of June 1877, in the month of

July 1877, having been critically
examined, the necessary corrections and ex-
planations made, the said field notes, and the
surveys they describe, are hereby approved.

Warren Kimball

Surveyor General for Utah.

BOOK-A-167

Township 111. South R. 14. Thresh.

| | | | | | | |
|----|----|----|----|----|----|-------|
| 6 | 5 | 4 | 3 | 2 | 27 | 1 |
| + | + | + | + | + | + | 24 |
| 7 | 8 | 9 | 10 | 11 | 23 | 12 |
| + | + | + | + | + | 21 | - |
| 18 | 17 | 16 | 15 | 21 | 14 | 23 13 |
| + | + | + | + | + | + | 20 |
| 19 | 20 | 21 | 22 | 23 | 29 | 24 |
| + | + | + | + | + | 17 | 18 |
| 30 | 29 | 28 | 27 | 26 | 25 | |
| + | + | + | + | 17 | + | |
| 31 | 32 | 33 | 34 | 16 | 35 | 36 |
| | | | | | | |

Examined by C. H. McConnell, C. E.

(1822) D. M. R.

Copied J. H. M.
& corrected

Field Notes
of
Additional Survey
Subdivision lines
Township 41 South Range 14 West
Salt Lake Meridian
Utah Territory
as surveyed by
J. C. Bailey
under joint contract Bailey & Burill
No. 73. — dated Sept 4th 1876

Approved Apr 3^d 1877.

R

Subdivisions T. 41. S. 14. T. Salt &
Chains Apr 3^d/877 by J. B. Bailey's East
From the established pt. sec.
to secs. 34 & 35 (a) gray sand-
stone 30x10x5 in.) on the south
boundary of the township. 00
North pt. sec. 34 & 35

Va. 16° E.

- 140.00 On west slope pt Lava
rock 15x10x5 in 10 in. deep mottled
from W. side raised mound
of stone for $\frac{1}{4}$ sec. cor.
80.00 The established cor. (a
white sandstone) to secs. 34
34 & 35 -

Land broken. Soil & tal
No Timber -

As the mile corner has
not been established
I run

17
Salt Lake Meridian

Baileys
shrub
ayson
the sm
ships. 00
ft. sec. 26835

Va. 16° E.

Ascend

Set Lava rock 15x9x4 in. 10
in. deep marked $\frac{1}{4}$ in. N. side
raised mound of stone for $\frac{1}{4}$
sec. cor.

Up mtn: On account of rocky high
ground I abandon line here.

Rand rocky. Soil 2 date.

As Timbs -

From the established $\frac{1}{4}$
sec. cor. (a white sand/sur-
face rock 150x20 in) ft. sec.

23726

East on true line

ft. sec. 23726

Va. 16° E.

18

Subdivisions T. 41. S. R. 14. N.

Chains ascend S.W. slope

40.00 ft. Lava rock 1.5 x 1 x 9 in
10 in deep notched 1 on E.
72 on S. edges & raised
mound of stone for cor. to 80.30 ft.
secs. 23. 24. 25 & 26.

Land rocky & broken
Soil 2 rate
to Drinker -

East on random line 40.00 ft.
ft. secs. 24 & 25

Va. 16° E.

40.00 ft temp. 1/4 sec. cor.

80.30 Intersect east boundary
of township 35 lbs. forth
of cor. b sec. 19. 24. 25 & 30
from which

3. 89. 4. 5. W. on true line
ft. secs. 24 & 25

BOOK

Salt
Chains
40.13 ft

80.30 ft

X

ft

-

-

-

1

0

0

0

1

1

1

0

0

0

0

- 19
- Salt Lake Ullendian
- Chains
40.15 ft lava rock $15 \times 12 \times 12$ in.
10 in. deep marked $\frac{1}{4}$ on S.
side raised mound of stone
for $\frac{1}{4}$ sec. cor.
- 80.30 The cor. to secs. 23.24.25 & 36
Sand broken rocky ridges
Soil 2^d rate. No timber
-
- North kt. secs. 23 & 24
(Va. 16. E.)
- line 10.00 ft lava rock $16 \times 9 \times 8$ in.
11 in. deep marked $\frac{1}{4}$ on N.
side raised mound of stone
for $\frac{1}{4}$ sec. cor.
Descend.
- with 70.00 Gulch drains S. W.
- 730 80.00 The established cor. to secs.
13. 14. 23 & 24 - "A stationery
white sand rock 4×4 feet"
Sand broken & rocky

Subdivisions T. H. I. P. R. 14. N.
Chains Post date. No Timber

- East on random line
bt. sec. 13 & 24
(Va. 16° E.)
- 5.00 Gulch drains S. W. 40.00
40.00 On Ridge barst. E & S. W.
set temp. $\frac{1}{4}$ sec. cor.
- 10.00 Intersect east boundary
of township 16thos S. of sec. to
sec. 13 & 24 from which
S. 89° 53' W. on true line 80.00
bt. sec. 13 & 24
- 140.10 Set lava rock 16x10x9 in
11 in. deep, marked $\frac{1}{4}$ on
its side raised mound of
stone for $\frac{1}{4}$ sec. cor.
- 10.20 The cor. to sec. 13, 14, 23 & 24
Sand broken & rocky
soil 3 rate - No Timber

2.1

Fall Lake Mendian

Chains from the established cor.

to secs. 14, 15, 22 & 23. "A"

Red sandstone $15 \times 13 \times 3$ in."

North brt. secs. 14 & 15

Va. 16.E.

440.00 Raw foot of bluffs bar
N.E. & S.W. Pet Sandstone
 $18 \times 11 \times 9$ in. 12 in. deep marked
 $\frac{1}{4}$ on N. side raised mound
of stone for $\frac{1}{4}$ sec. cor. Thence
Ascend red bluffs bar. 18 & S.W.

80.00 Pet Sandstone $20 \times 10 \times 8$ in. 15
in. deep notched 20w E & 4 on
S. edges raised mound of
stone for cor. to secs. 10, 11, 14 & 15
Sand broken. Soil 2 date
73 date - No timber

East on random line
brt. secs. 11 & 14

Subdivisions S. 41. T. R. 14. N.
Chains Ya. 16. E.

BOOK A
Bath

Chains to

- Descend
40.00 Marl foot of bluffs bank E.
75.00 Set temp. 1/4 sec. cor.
47.00 Brook runs S.W. 40.00 T
68.00 pillow Reef bars E. & S.W.
80.40 Intersect N.T.S. line 30 lbs.
South of cor. to secs. 11.12.13 & 14
from which
5.89. 47. N. on true line
ft. secs. 11 & 14
40.20 Set Sandstone 18x9x9 in
12 in. deep marked 1/4 on
S. side raised mound of
stone for 1/4 sec. cor. 10.00
80.40 The cor. to secs. 10.11.14 & 15 35.00
Land broken & rocky
Soil 2 drat - No timber - 38.50
40.00

From the established cor.

Balt Lake Meridian
 Chains to sec. 11, 12, 13 & 14 ("A Yellow
 Sandstone 14x12x10 in.")
 South pt. sec. 13 & 14
 Va. 16° E.

40.00 To the established 1/4 sec.
 cor. pt. sec. 13 & 14 - "A
 Red Sandstone -
 Land broken & rocky
 Soil 2 date W. Fink

Return to cor. to sec. 11, 12, 13
 & 14 down
 North pt. sec. 11 & 12
 Va. 16° E.

15.00 Silver Reef bars N.E. S.W.
 35.00 Brook runs S.W. at mouth
 of Gulch heads N.W.
 38.50 Gulch drains S.W.
 40.00 Mark a Granite Boulder
 in place 3x2x1 foot above

Subdivisions S. 41. P. 14. N.

Chains ground $\frac{1}{4}$ on N. side raised
mound of stone for $\frac{1}{4}$ sec. cor.
from which

A Mining Shaft bars \$28.5.
about 18 ft. dist. another
shaft bars \$35.8. about 9. ch.
dist. Stone Walls of a house
bars \$70.8. about 7.00 ch. dist.

41.00 same mulch drains S.E. heads

ft.

42.00 Pearv it, heads h. E.

80.00 Set Landstone 24 x 14 x 2 in. 18
in. deep notched 1 on E & 5 on
S. edges raised mound of
stone for cor. braces. 1.2. 11812

Land broken Soil 2 date
to Timber

East on random line
ft. sec. 1812

25.

Salt Lake Meridian
var. chains Va. 16.E.

- ad. cor. 0.50 Wash drains S.E.
 S. 28.6. 5.00 Ridge bars N.E. & S.W.
 other 20.00 Brook in Gulch runs S.W.
 t. g. ch. 21.50 North edge of Blacksmith
 shop & S. end of Seeds Co.
 house Quartz mill (10 stamps)
 s. dist. 120 lbs. dist. N.
 Thread 33.00 Ascend
 in 18 35.00 Mining shaft 15 lbs dist S.
 85 m 38.50 Top of Silver Reef bars
 nd of N.E. & S.W. from this point
 1812 House bars N. 27° 30' W.
 ate about 16.00 lbs. dist.
 line Another bars N. 31. W. about
 20. chs. dist. Seeds Co's
 line, bars N. 9. 30. W. about
 8 lbs. dist. House
 bars N. 15. 20. W. about 20.00
 chs. dist. These with

Subdivisions T. 41. S. R. 14. N.
Claims for others form what is
called "Mill Town"

40.00 Set Temp. $\frac{1}{4}$ acre cor.

43.00 Road bars S. E. S.

44.00 Mining Shaft 150 lbs. South

49.00 Brook runs P.

65.00 Bluff bars S. E. S. N.

80.00 Intersect east boundary
of township 30 lbs S. of cor.

80 sec. 18 1/2 from which 40.00 B.

N. 89.47. N. on true line

lot. sec. 18 1/2

140.00 Set White Sandstone 18x13x

8 in. 12 in. deep marked $\frac{1}{4}$ m

S. side raised mound of
stone for $\frac{1}{4}$ acre cor. & mark
a crop (+) on Sandstone

Ledge bars west 20.00 lbs

dist -

80.00 The cor. lots sec. 1, 2, 18 1/2

Salt Lake Meridian
Chains laid broken, Rail 2 date
to Timbs -

North on true line
ft. sec. 182

Va. 16° E.

| | | |
|-------|-------|--|
| N. | 0.50 | Wash drains S. E. |
| ndary | 6.00 | Foot of Red Bluff bars N. E. & S. W. |
| cor. | | On top of bluff set bands stone 20 x 10 x 9 in. 15 in deep marked $\frac{1}{4}$ on P. side raised mound of stone for $\frac{1}{4}$ sec. cor. |
| thick | 40.00 | Intersect 8th Standard Parallel South at the Standard sec. to sec 35 & 36 which mark 6 notches on the south making it common |

Subdivisions T. H. S. R. 14th
Claims to sec. 1, 2, 3, 5 & 36

Sand broken rocky bluff
Soil & date - No timber
Apr 3rd 1877

T. C. Bailey

U. S. SU
Salt Lake

The foreg

Additio

Township

Executed b

Under j

day of D

April

examined,

planations

surveys they

General Description
The lands in the additional
survey of this township I return
as mineral bearing silver
They embrace a portion
of what is called "Silver
Reef" a sharp sandstone
ledge bearing N. E. & S. W.
which there are many mine
now located & being worked.

Red Bo's Quartzmill &
Mill Town are on the S. W. 1/4
A portion of the town of Silver
Reef is in the N. E. 1/4 of Sec 1.

BOOK-A-167.

29

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, June 30 1877

The foregoing field notes of the survey of
Additional Survey Subdivision since
Township No. 41 S. Range No. 14 W.
Executed by Bailey & Merrill,
Under joint contract of the 1st
day of September 1876, in the month of
April 1877, having been critically
examined, the necessary corrections and ex-
planations made, the said field notes, and the
surveys they describe, are hereby approved.

David Kimball

Surveyor General for Utah.

BOOK-A 167

W. Lake Meridian

Apr 3^d 1877

J. B. Bailey
U. S. Dep. Surveyor

BOOK-A-167

R: 1879 (C.P.S.)

50

Filed October 3rd 1878.

Examined by C. S. Cornwell.

Compared by E. H. Hess and W. A. Clarkeside.

FIELD NOTES

OF

THE SURVEY OF THE

Additional

Subdivision lines

of Township No 1. North, Range No 1 East

of the Salt Lake Meridian in Utah Territory.

BY

Adolphus Jessen

U. S. DEPUTY SURVEYOR,

Under his Contract No. 88

dated September 17th 1878.

Survey commenced October 23rd 1878.

Survey completed October 26th 1878.

Adolphus
Jessen

BOOK-A-167

ship I. chord R. I. East.

| | | | | | |
|----|----|----|----|----|----------|
| 3 | 5 | 4 | 3 | 2 | 1 |
| + | + | + | + | + | - |
| 8 | 9 | 10 | 11 | 12 | |
| + | + | + | + | + | - |
| 17 | 16 | 15 | 14 | 13 | 67 |
| + | + | + | + | + | 57 |
| 9 | 20 | 21 | 22 | 23 | 48 24 65 |
| + | + | + | + | + | 47 35 |
| 0 | 29 | 28 | 27 | 26 | 25 60 |
| + | + | + | + | 36 | 38 |
| 32 | 33 | 34 | 35 | 40 | 36 |
| | | | | | |

OFFICIAL OATHS.

U. S. DEPUTY MINERAL SURVEYOR.

I, _____
having been appointed a Deputy Mineral Surveyor of the lands of the United States, in the Territory of Utah, do solemnly swear that I will faithfully, and to the best of my skill and ability, execute the duties confided to me, pursuant to a contract with _____

Surveyor General of public lands in Utah Territory, bearing date the _____ day of _____, 187_____, according to the laws of the United States and the instructions received from said Surveyor General.

United States Deputy Mineral Surveyor.

Subscribed and sworn to before me this
day of _____, 187_____.

FOR CHAINMAN.

We, Walter Burris
and William Bridget
do solemnly swear that we will faithfully ex-
ecute the duties of chain carriers; that we will
level the chain upon uneven ground, and plumb
the tully pins, whether by sticking or dropping
the same; that we will report the true distance
to all notable objects, and the true length of
all lines that we assist in measuring, to the
best of our skill and ability.

Walter Burris

William Bridget

Chainmen.

Subscribed and sworn to before me this

23rd day of October 1878.

Adolphus Jossen
U. S. Dep. Surveyor

FOR FLAGMAN.

I, Peter Gray

do solemnly swear that I will well and truly perform the duties of flagman, according to the instructions given me and to the best of my skill and ability.

Peter Gray

Flagman.

Subscribed and sworn to before me this
..... 23rd day of October 1878.

Adolphe Jessen
U. S. Dep. Surveyor

FOR AXEMAN.

Add
J. I
BOOK-A-
Survey

I, G. W. Blodget.

do solemnly swear that I will well and truly perform the duties of axeman, according to the instructions given me and to the best of my skill and ability.

G. W. Blodget

Axeman.

Subscribed and sworn to before me the
23rd day of October 1878.

Adolphe Jossen

N. Y. Dep. Surveyor

Additional Subdivision Lines

J. I. N. R. 1 E. Just Lake Meridian

BOOK-A-167

Survey commenced

October 23rd 1878

Note: The mountainous character of the greater portion of this Twp. making it impracticable to survey it in the usual manner according to instructions, I elect as my starting point a $\frac{1}{4}$ sec. cor. on sec. line between secs. 26 & 35 T. I N. R. 1 E. established by U. S. Dep. Surveyor Richard H. Browne under his aggregated survey, contract No. 53 in 1874 this being the nearest established cor. to the lands which I am to embrace in my survey - Having duly satisfied myself as to the identity of said $\frac{1}{4}$ sec. cor. it being: "a

Additional Lots. T. 1 N. R 1 E.

Chains

white sandstone 20 x 19 x 8 in.
 set 10 in. deep, marked $\frac{1}{4}$ on
 the face for $\frac{1}{4}$ sec. cor. & with
 ink on tops for N.W. cor.
 to 10 acre lot No 2 "

chains

East on true line

24.00

between secs 26 & 35

30.50

Var 16° 55' E.

2.00

Gulch drains S.E.

5.00

Top of ridge bears S.

32.00

10.00

Find no trace of old 10 acre
lot cor.

36.50

10.30

Gulch drains S.W.

38.00

13.00

Small gulch drains S.; from
this point Gen. Hogan Cabin
and potato field bears S about
11 chains -

34.40

40.00

20.00

A red sandstone 30 x 10 x 6

Salt Lake Meridian

| | |
|---------|---|
| x 5 in. | chains marked with a cross on tops or line; to identify it as the the old N.E. cor. of lot No. 1 in sec. 35 T. 1 N. R. 1 E. established by Richard H. Brown in his survey above mentioned. |
| 24.00 | Descend S.E. slope of hill. |
| 30.50 | Foot of hill, Road bears N.E. & S.W., enter bottom of Red Butte Cañon. |
| 32.00 | Red Butte Creek 15 ft. wide 7 in. deep runs S. W. |
| 36.50 | Leave bottom, ascend - |
| 38.00 | Point of low ridge bears N. 2 chains, descend - |
| 39.40 | Enter Quarry Cañon - |
| 40.00 | Set red sandstone 14 x 8 x 6 in. 9 in. deep marked 1 notch on S. & E. edges with stone |
| 10 x 6 | |

38 Additional Lots. S. 1 N. R. 18

Chances measured and also measured:
earth raised from 4 parts can
24 x 12 x 12 in. for cor. to
secs. 25, 36, 35 & 36 -

chances
S. 75

27.5

38.50

Land undulating.

In 1st rate

46.00

Minor thick oak branch
on hill sides -

The E. boundary of this
lot not yet being surveyed
is here

Cast on tree line
between secs. 25 & 36

In 1st 55' E.

0.25 Spring branch 2 ft wide 2.
inches deep runs northerly -

0.50 Road to Stone Quarries
bears S.E. & northerly -

R. 18

BOOK-A-167

Tall Lake Moundian

chains

4.75 Enter rolling hills -

5.00 Saps quick drains northward,
second traps mountain.

5.850 Point L perpendicular sand-
stone ridge 30 ft. high faces N. W.

46.00 - in red sandstone $1\frac{1}{4} \times 10 \times 6$
in. 9 in. saps marked $\frac{1}{4}$ on
W. side with stone rounded
(pits impracticable) for $\frac{1}{4}$ sec
cr. -

Cross mountainous -

Join 1st and 3rd rate

Fines thick Oak brush in
W. 30 chs.

Note: On account of high
broken mountains I abandon
line here -

Knowing that this line

Additional Tubs. J. N. W.

Chains will become impracticable
in less than 30 chains, from
cor. to sec. 25, 26, 35 & 36
to river.

South on true line

between secs 35 & 36

Dir 16° 55' E.

1.50 Lava Chary Canyons sec.
mountains -

27.50 Sandstone ledge bears N.W. 1/4

38.70 Groups of white conglomerate
lime rocks 15 ft. high on line.

40.00 3rd conglomerate limestone
15 x 12 x 10 in 10 in. dips marked
 $\frac{1}{4}$ on N. side with stone worms
bits impracticable, for $\frac{1}{4}$ in
cor. -

Land mountainous

Soil 1st rate, rocky -

5.70

3.67

3.57

E. Salt Lake Meridian -

passes through very heavy Oak brush -

Note: On account of high broken mountains & abandoned the line here. -

October 23rd 1878.

October 24th 1878. -

From the established
line to sec 25 26 35 & 36
as near

North between sec 25 & 26

Var. 16° 55' E'

Entered into Main Canyon

C. 57 Spring branch 2 ins wide 2 in.
lays runs N. W.

3.67 Road bears nearly E & N.

3.57 Red Butte Creek 20 ft. wide
7 inches deep runs nearly West.

5.70 Leave bottom of Red Butte

Additional Tubs T. 1 N. R. 1 E.

Names Chosen - Discard -

Names
39.70

9.00 Discard to Parley's Fork Canyon

40.00

13.00 Peter Drags Camp on E. side

of Potato field bears E. 9.00

18.50 Side branch of Parley's Fork Creek 8
ft. wide 4 in. deep runs E.19.00 Parley's Fork Creek 12 ft. wide
4 in. deep runs S.E.

41.50

19.85 Brush fence bears nearly E. & W.

25.50 Road bears N. W. & S. E.

47.00

27.50 " " N. E. & S. W.

28.00 Fence bears N. & N. E. cut.

48.50

Potato field -

33.00 Fence bears N. E. & S. W. in

57.00

field -

74.00

33.10 Spring branch 6 ft. wide 3 in.
deep runs S.W., enter swamp.

80.00

& springy meadow covered
with dense willow thicket -

Lat. Lake Meridian -

- Chains 34.70 Parkys Fork Creek 8 lks wide
5 in. deep runs S.W.
- 40.70 Marked stationary sandstone
36 x 24 x 8 in. above ground $\frac{1}{4}$
on N. side with stone mounded
and raised also a mound of
earth from 4 pits each 24 x 12 x
12 in. for $\frac{1}{4}$ sec. cor.
- 41.50 Point of hill bears E.
100 chains
- 47.00 Parkys Fork Creek 7 lks
wide 5 in. deep runs S.E.
- 48.50 Road ~~down~~ S.E. & northerly -
- 54.00Leave bottom, ascend
rolling hills
- 74.00 Ascend, enter timber of
commercial value -
- 80.00 On steep W.W. slope in
heavy brush at limestone
 $12 \times 8 \times 8$ in. 8 in deep marked

BOOK

Additional Subs T. 1 N. R. 1 E.

| | | |
|--|---|--------|
| Chains | 2 notches on S. & 1 on E. | Chains |
| | edges with stone mounds and also a mound of earth raised from 4 pits each 24x12x11 in. for cor. to sec 23, 24, 25 & 26 - from which | 14.00 |
| | A maple 5 in. diam. tree N. 30° W. 20 lks dist. marked | 30.00 |
| L. 23. T. 1 N. R. 1 E. B. T. | | 40.00 |
| An Oak 4 in. diam. tree S. 10° E. 15 lks dist. marked | | |
| L. 25. T. 1 N. R. 1 E. B. T. | | |
| Land in bottom land Soil 100 rate. | | |
| Timber Maple & Oak of com- mercial value on N. 6.00 ac. | 44.50 | |
| | 61.25 | |
| | 71.00 | |
| The E. boundary of this T. P. not yet being surveyed I run | 74.50 | |
| | 77.50 | |
| | 80.00 | |

R. 18

BOOK-A-167

Salt Lake Meridian

w E.
d and
the min
x 12 x 11

1, 24, 21

ch

o. bus

markin

B. T.

v. han

marked

P. S.

e

of com

6.00 db.

L this

vegin

skins

East on true line

between sec. 24 & 25

(Var. 16° 53' E.)

Ascend.

Top of high & steep mount.
on ridge bears S.W. - leave
timber of commercial value.

30.00 Deep gulch drains S.W.

40.00 On W. slope of high &
steep ridge set gray sandstone
10 x 8 x 6 in. 6 in. deep marked
4 on N. side with stone
mound (pits impracticable)
for 1/4 sec. cor.

44.50 Top of ridge bears S.W.

61.25 Deep gulch drains S.

71.00 Ridge bears S.

Gulch drains S.

Ridge bears S.E.

On E. slope of ridge in heavy

74.50

77.50

80.00

Additional Ticks. T. 1 N. R. 18

BOOK

Chains brush set gray sandstone
 $18 \times 13 \times 8$ in 12 in. deep m
 ed 4 notches on N. & S
 on E. edges with stone m
 arked also a mound of
 earth from 4 pits each $2\frac{1}{2}$
 $\times 12 \times 12$ in. for cor to secs 10
 24, 25 & 30

Chains

Land mountainous

Soil 1st & 2nd rate

2.00

Timber Maple & oak - of
 commercial value on W.
 14° chs.

2.30

Note Having now reached
 the eastern boundary I propos
 to survey it, see "Field Notes"

2.50

Fractional E. Boundary T. 1 N.
 R. 1 E. I. L. M. -

15.00

October 24th 1878.

27.00

40.77

Chains

October 26th 1878

The cor. to secs 26, 27, 34 & 35
not being established, from
the established cor. to secs 23,
24, 25 & 26 I run

West on true line
between secs 23 & 26.

Var. $16^{\circ} 55' E.$

Descend

- | | |
|-------|---|
| 2. 00 | Road at foot of hills bears S.W. & N.E. enter Parley's Fork Canyon. |
| 2. 30 | Parley's Fork Creek 5 lks wide 3 inches deep runs S.W. |
| 2. 50 | Leave bottom of canyon, ascend hills |
| 15.00 | Leave timber of commercial value- |
| 27.00 | Top of high divide, etc witness movement of rocks, descend - |
| 40.75 | On steep N.W. slope near |

Additional Tasks T. 1 N. R 1 E.

Chains

Chains
3.00bottom of Dry Cañon set
limestone 14 x 9 x 5 in. 9 in.degs marked 4 on N. side with
stone worn & pits impression
for $\frac{1}{4}$ ac. cor.

5.00

25.00

Land mountainous

Soil 1st & 2nd rate

Timber, Oak & Spruce of com.

40.00

commercial value on E. 15.00

Note: On account of inv.
available mountains I
abandon line here -

From the cor to secs 23,
24, 25 & 26 2 m.

North line. secs 23 & 24

Var. 16' 55' E.

Second.

45.00

1.75 Enter bottom of Parley's Fork Cañon

49.00

2.50 Road bears N.E. & S.W.

53.00

BOOK-A-161

Gall Lake Meridian

| | | |
|---------------------|----------------|--|
| 2 18 | | |
| so | | |
| 7 in. | | |
| 2 with radiation | | |
| 25.00 | Chains 3.00 | Parley's Fork Creek 5 lks. wide 3 in. deep runs S. W. |
| 25.00 | | Leave bottom of canyon, enter rolling hills - |
| 40.00 | | Walter Burris House 3 Spring in bottom of Parley's Fork Canyon bears E. 15 ohs. |
| 15.00ds. in. 2 | | On steps N. slope at lime- stone 18 x 12 x 8 in 12 in. deep and raised a mound of earth from 4 pits each 24 x 12 x 12 in for $\frac{1}{4}$ sec. cor. from which a maple 5 in. diam. bears N. 50° W. 18 lks. distant. |
| 23. | | A maple 5 in. diam. bears N. 40° E. 20 lks. dist. |
| 24 | | Both trees marked by J.B.T. |
| | 45.00 | Gulch drains E. |
| R. Canyon | 49.00 | Wood Road bears E. & W. |
| | 53.00 | Low ridge slopes bears E. |

50
Additional Trees T. 1 N. R. 1 E.

BOOK

chains

53.00 buck draws S.E., ascend
high divide between Red Butte
& City Creek Canyons

Chains

80.70 On S. slope divide set Limestone
stone 24 x 18 x 10 in 16 in deep
marked 3 notches on S. &
1 on E. edges with stone
removed (pits impracticable
for cor. to secs. 13, 14, 23 &

4.50

24 — from which
A mountain mahogany 8 in
diam. bears S. 5° W. 60 lbs.
dist. marked T. 23, T. 1 N.
R. 1 E. B. T.

11.50

25.00

A mountain mahogany 6 in
diam. bears N. 80° W. 70 lbs. dist.
marked T. 14. B. T.

29.00

35.00

37.00

Land rolling,
Soil 1st rate; very rocky on N. 5 chs.
Timber oak, maple & mahogany

40.00

18

BOOK A 167
Salt Lake Meridian

Claims of commercial value in 80 chs —

Second
Red Banks

et lines
in dup
S. &
Tone
ticakes
23 & 24
ick
any 8 in
cks.
1 N.
any 6
cks. due
N. 5 chs
natiogram

| | | |
|---------|-------|--|
| | | From cor to secs 13, 14 23 & 24 I run East on random line between secs 13 & 24 Var. 16° 55' E. |
| Accred. | | Ridge bears I. Gulch drains I. " " I.E.; Trail to City Creek Canyon bears I & I.E. |
| | 4.50 | Low ridge bears I. |
| | 11.50 | Gulch drains I.; Spring |
| | 25.00 | 5 chs. I. |
| | 29.00 | I. Gr. Blodget's House bears |
| | 35.00 | I. 15 chs on N. edge of nice grassy flat with several springs on it — |
| | 37.00 | On top of small ridge etc |
| | 40.00 | |

Additional Lots T. 1 N. R. 1 E.

BOOK

- Chains temporary 4 sec. cor. — chains
- 53.25 Trail in bottom of broad
gulch bears N. & S.; Big
Spring in gulch bottom bears
S. 7^o W. obs.
- 65.00 Top of ridge bears S.
- 68.00 Enter grove of tall Aspen. 74.45
- 73.00 Gulch drains S. E.
- 75.00Leave Aspen grove -
- 79.45 Intersect E. boundary of
Sp. 36 Mts. N. of cor. to
secs 13 & 24 — from which
N. $89^{\circ}45'$ W. on true line
between secs. 13 & 24
- 39.73 Set limestone 12 x 10 x 7 in. 7
deep marked 4 on N. side
with stone mound
also a mound of earth
raised from 4 pits each
24 x 12 x 12 in. for 4 sec. cor.

R. 18.

BOOK-A-167

Salt Lake Meridian -

Chains from which
A maple 5 in. diam bears
W. 45° N. 30 lbs dist -
An oak 4 in. diam bears S. 30° W.
25 lbs dist.
Both trees marked 4 T. B. J.
The cor. to sec 13, 14, 23
8 24 -

Land undulating
Soil 1st rate
Timber Oak, maple, pine
raspens of commercial value
on 79.45 chains -

Note: On account of
high mountains I abandon
further subdivision of this Tps.

October 26th 1878

Adolphe Jessen
U. S. U. S. Surveyor -

General Description

The lands embraced in this survey consist of the several flats situated in the bottoms of Red Butte and Pareys first Canyon and of the surrounding hills.

These flats though small are very valuable being covered with a luxuriant growth of grass and dotted with numerous fine springs. When cultivated they produced excellent crops of potato & wheat. Most of the bottom lands ~~are~~ already claimed by actual settlers, upon whose applications and

deposit this survey
was made -

The hills are covered
with a fine growth of
young timber consisting
principally of oak, maple
& aspen -

The $\frac{1}{4}$ of sec. 25 contains
some very fine Quarry ledges
of red and pink sandstone.

I saw no signs of
minerals the lands are
agricultural -

Note: From information
furnished me by the Surveyor
General's Office I learn that
there is a Desert Land Titling ^{case No. 25}
No. 83 by Andrew Stalkauski
dated May 26th 1877, the

BOOK NO. 1

boundaries of which are
described in the filing as
follows. " Commencing near
where the N.W. 4 cor of the
N. W.⁴ of sec. 36 T. 1 N. R. 1 E.
will or when surveyed and
at a post. Then nearly N. 30°
thence E. 226 rods, thence S. 30° rods E.
N. 226 rods to the place of beginning
all in sec. 25 T. 1 N. R. 1 E. and in
30 T. 1 N. R. 2 E." To find,
after due inquiry, none of
the posts ^{above} mentioned nor any
improvements made by
said Andrew Stukandake on
the lands embraced in this
Survey.

Adolphus Jessen
U. S. Dep. Surveyor

LIST OF NAMES.

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing Field Notes of the Additional Subdivision lines and the Fractional East Boundary of T. 1 S. R. 1 E. Salt Lake Meridian —

showing the respective capacities in which
they acted.

U. S. I.

Walter Burris. Chainman.
William Blodget. Chainman.
Peter Gray. Flagman.
L. W. Blodget. Axeman.

We hereby certify that we have assisted

(Edwin F. Jensen)

U. S. Deputy Surveyor in surveying

the
Fractional East Boundary
any and Additional
Subdivision lines of
Township 1 North,
Range 1 East of
the Salt Lake
Meridian

(60)

BOOK A

and that said T. I. N. R. I. E.
has been in all respects, to the best of our know-
ledge and belief, well and faithfully surveyed
and the boundary monuments planted accord-
ing to the instructions furnished by the Survey-
or General.

Walter Bailey Chainman.
William Wright Chainman.
Peter Gray Flagman.
G. W. Blodget Axeman.

Subscribed and sworn to by the above named
persons, before me, a Notary
Public, for the County
of Salt Lake, in the Territory
of Utah, this 3rd day of October 1878

T. C. Bailey
Notary Public

I, Adolphus Jasson

U. S. Deputy Surveyor, do solemnly swear that
in pursuance of a contract with

Fred. T. Talbot

Surveyor General of the public lands of the

United States in the Territory of Utah, bearing

date the 17th day of September 1878,

and in strict conformity to the laws of the

United States, the Manual of Surveying In-

structions, and the instructions furnished by

the said Surveyor General, I have faithfully

surveyed the Fractional East

Boundary and Addition

al subdivision lines

of Township 1 North,

Range 1 East of the

Salt Lake Meridian -

BOOK -

U. S. SURVEY

Salt Lake

The fore

In the Territory aforesaid, and do further
solemnly swear that the foregoing are true
and original Field Notes of such survey.

Adolphe Jessor.
U. S. Deputy Surveyor

Subscribed by the said Adolphe Jessor
and sworn to before me, a Notary
Public

county of Salt Lake in the Territory
of Utah, this 31st day of October

T. C. Bailey
Notary Public

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Dec 19 1875.

The foregoing field notes of the survey of the ...

(Additional) Subdivision Lines,

Township No. 1 North Range No. 1 East
of the Salt Lake Meridian, Utah Territory.
Executed by Adolphus Seaman

Under his contract of the 1st of October 1875

day of September 1875, in the month of
October 1875, having been critically ex-
amined, the necessary corrections and explanations
made, the said field notes, and the surveys they de-
scribe are hereby approved.

W. A. Alderson,

U. S. Surveyor General for Utah.

BOOK-A-167

R: 1879 (Copy)

Filed October 31st

1878.

Examined by C H Churchill.

Compared by E N Jessen and J. W. Gandy.

FIELD NOTES

OF

THE SURVEY OF THE

Fractional

East Boundary

of Township No 1 North, Range No 1 East

of the Salt Lake Meridian in Utah Territory.

BY

Adolphus Jessen

U. S. DEPUTY SURVEYOR,

Under his Contract No. 88

Filed September 17th 1878.

Survey commenced October 25th 1878.

Survey completed " " 1878.

L. M. J.
Copied

actional East Boundary line
BONITA-161, E. L. K. (N.W.)

Survey commenced
October 25th 1878

Note. For reason of non-compliance with the instructions in regard to the mode of surveying boundary lines see beginning of Field Notes of Subdivision lines of this Tp.

From the cor. to secs 19, 24
25 & 30 being a gray sandstone
18x13x8 in. set 12 in. deep marked
4 notches on N. & 2 on S. edges
with stone mound, and a mound
of earth from 4 pits each 24x
12x12 in as established by
myself I run

North betw. secs 19 & 24

Var. $16^{\circ}55'$ E.

Descent

- Fractional E. Bound T. 1 N. R 1 E. To
cross Spring Branch in gulch runs E. across
ascend steps ridge -
- 40.00 On small rocky point slopes
S.E. set limestone $14 \times 12 \times 3$,
9 in. deep marked $\frac{1}{4}$ on N. side
with stone mound, pits impractical
for $\frac{1}{4}$ sec. cor.
- 52.00 Second step S.E. slope enter
timber of commercial value
- 67.00 Trail bears W. & S.E.
- 70.00 Broad gulch drains E., ascend
- 80.00 Set sandstone $14 \times 10 \times 6$ in 9 in. deep
marked 3 notches on N. & S. edges
with stone mound, and also a
mound of earth raised from
4 pits each $24 \times 12 \times 12$ in. for cor. 15.00
- To sec 13, 18, 19 & 24; now which
an Oak 3 in. diam bears
- 1.70° E. 20 ft. distant marked
- 46.00

1/2 R 1 E. Salt Lake Meridian -
SE Chius T. 19 S. 1/2 R 2 E. B. T.

Topes
12 x 8
V. side
vertical
water
valve
and
deep
gaps
so w
cor.
hick
red

Low Oak 3 in. diam. near
N. 45° W. 30 ft. dist. marked

S. 13 T. 1/2 R. 1 E. B. T.

Land heavy rolling
Soil 1st rate

Timber aspen, maple
Oak of commercial value
on N. 28 ch.

North betw. sec. 13 & 18

Var 16° 55' E.

Across broad divide
between Red Butte & City Creek Canyons
Leave timber of commercial value

15.00 46.00 Near summit of divide
set limestone 18 x 12 x 8 in
17 in. deep marked $\frac{1}{4}$ on N.
side with stone mounted

Fractional E. Bound T. 1 N. R. 1 E.

Chains fit impracticable for 4 sec. con
tinued mountainous

Soil 2nd rate

Timber Oak maple & aspen
of commercial value on
T. 15 chs

Note. On account of high 15.60
mountains I abandon line no

16.50

From con to secs 19. 24. 25

8.30 To now

21.00

South line. secs 26 & 30

22.70

Var. $16^{\circ}53' E.$

13.00 Leave timbered hills enter

25.00

Red Butte Canyon -

13.25 Red Butte Creek 10 ft wide
5 inches deep runs S.W. into
meadow

27.60

14.25 Brush. Treeless N.W.

1 M.R. 1 E. Salt Lake Meridian

cross chains west E. water Board

bears nearly E. & W.

15.58 leave road Eastern corner
of fence field in bottom
of canyon bears S.W. about
15 obs.15.60 leave bottom enter timbered
hills16.52 pass O. Edlers Camp bears
W. 5.5 chains distant.

21.00 gulch drains N. W.

22.7 low sharp ridge bears
N. W. 3 chains25.00 gulch drains N. W.
ascend high divide between
Red Butte & Emigration
Canyons27.60 leave timber of com-
mercial value -

BOOK
R 1
Fractional E. Bound S. 1.

Chains

37.00 On top of high ridge
bearing N.W. at witness
monument of rocks

41.00 In heavy brush near
summit of divide set
sandstone 20 x 16 x 14 in
14 in deep marked to 0
W. side with stone monu-
ments impracticable) for
 $\frac{1}{4}$ sec. cor.

Land heavy rolling
Soil 1st & 2nd rate

Timber Maple & Oak of
commercial value on st.
25 chains

Note: On account of high
mountains I abandon line here

T. 1.
R 1 E. Salt Lake Meridian

Note: for General Description
and Approval see
end of Additional
Subdivision notes of
this Township

October 25th 1878

Adolph Jessen
U. S. Dep. Surveyor -

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Dec 1st 1878.

The foregoing field notes of the survey of the ...

Practical East Boundary

Township No 1. North Range No 1. East
the Salt Lake Meridian, Utah Territory.
executed by Adelphie Jessie.....

Under his contract, of the 1st N.S.
day of September 1878, in the month of

October 1878, having been critically ex-
amined, the necessary corrections and explanations
made, the said field notes, and the surveys they des-
cribe are hereby approved.

Fred. S. Alderson

U. S. Surveyor General for Utah.

Book 167

N^o 3

R. 1879 and up to 1878
and up to 1878 and up to 1878
Ex-claimed by J. A. Godlewski, 11. P.M.,
Filed November 1878, 11. P.M.

BOOK-A-167 (1878)

Field Notes of the survey
of the Subdivision lines of the
Spanish Fork Indian Reservation
in Township N^o 8 South, Range
N^o 2 East of the Salt Lake
Meridian in the Territory of
Utah, by Joseph Godlewski,
deputy Surveyor, under his
contract N^o 85, bearing date
the 14th day of August 1878.

Survey commenced Sept 1st 1878
Survey completed Oct. 1st 1878.

BOOK-A-167

Township S. Jacob **R.** 2, **East**,

| | | | | | | | | | |
|---------------------|-----|-----|-----|-----|-----|-----|-----|-----|----------|
| | | 149 | | 147 | | | | | |
| <i>meander</i> 6 | 5 | 122 | 4 | 112 | 3 | | 2 | | 1 |
| 134 | 133 | | 120 | | | | | | |
| 145 | 7 | 132 | 8 | 119 | 9 | 110 | 10 | 11 | 12 |
| 130 | | 129 | | 117 | | 109 | | | |
| 144 | 18 | 128 | 17 | 116 | 16 | 108 | 15 | 14 | 13 |
| | 126 | | 125 | | 114 | | 105 | | |
| 142 | 19 | 124 | 20 | 113 | 21 | 104 | 22 | 102 | 23 |
| | 84 | | 83 | | 82 | | 81 | | 79 X 176 |
| 140 | 30 | 98 | 29 | 93 | 28 | 90 | 27 | 87 | 26 |
| | 97 | | | 92 | | 89 | | 85 | |
| 31 | 96 | 32 | | 33 | | 34 | | 35 | 36 |

Subdivision O. S. S. R. 2 E.

Chains Given previous examination, there being no corner found on the South-east boundary of the Spanish Fork Indian Reservation between Sections 25 and 26. and finding it impossible according to instructions to find the 1/4 section corner between sections 24 and 25. I therefore after diligent search found an old corner to sections 25. 26. 35 and 36 which agrees with the description furnished me by the office:

A Lime stone 12X10X8 in marked 1 notch on the south and east edges from which I run North on a true line between sections 25 and 26.

Variation 16°36' E.

| | |
|-------|---|
| 20.10 | ditch bears E. and W. leave meadow and alkali and enter field |
| 40.00 | Set a lime stone 15X6X6 in. 10 in |

Division S. 8 S. R. 2 E.

Chains deep, marked $\frac{1}{4}$ on the west side with 4 pits each $2\frac{1}{4} \times 12$ $\frac{1}{2}$ in. for $\frac{1}{2}$ sec. cor. along north side of irrigation ditch bearing E. and W. and enter upland valley.

4625 Chain 10 links wide bear N.W. and S.E.

61.00. Road bears E. and W.

70.25 Road bears E and W.

70.55. Interscided South Boundary of the Spanish Fork Indian Reservation, $88^{\circ} 43' W.$

13.50 Chains. From the same East corner of said Reservation where I set a lime stone $16 \times 10 \times 10$ in. 10 in. deep, marked R. I. C. C. on the West side, with 3 pits $18 \times 12 \times 12$ in. for Corner between Sections 25 and 26 on Reservation line

40.00

80.25

Section Line T. 8 S. R. 2 E.

to west Chain Old corner not found
 24X12 80.00 Set a lime stone 18X10X6 in. 12
 along in deep marked 2 matches on the
 South end 1 match on the East
 edges with 4 pits each 18X12X12
 in. for corner to sections 23
 24, 25 and 26.

South part low land: meadow
 with some flats. Balance upland
 soil 1st and 2nd rate partly
 under cultivation.—

East on a random line
 between sections 24 and 25
 Variation 16° 36' E.

40.00 Set a temporary stone for $\frac{1}{4}$
 sec. corner. No old corner found
 80.22. Intersected the East Boundary

Subdivision T. 8 S. R. 26

Claim of the Township 70 links
south of old corner to section
24, 25, 19 and 30; from
which corner I run,
 $89^{\circ} 30' W.$ on a true
line between sections 24
and 25.

1.85 fence and road bears N. and
3.95 across same road; eaten field
22.00 Willow slough 100 links wide
bears N.W. and S.E.

40.11 Set a Lime stone 14X10X6, 69.00
8 in. deep, marked $\frac{1}{4}$ on
north side, with 4 pins each 80.22
18X12X12 in. for $\frac{1}{4}$ sec. cor.

46.10 Willow and bottom bear
N.E. and S.W.

51.00 branch of Spanish Fork River
bears N. and S. 200 do wide
59.50 Spanish Fork river runs N.E.
200 links wide

Suhdiorion T. 8 S. R. 2 E.

Chain
66.72. Intersected the East boundary
of the Spanish Fork Indian
Reservation. North 9.42 chs.
from the S.E. corner of said
Reservation, where I set a
sand stone 16X8X8 in. 10 in.
deep, marked R.I.C.C. with
3 pits each 24X12X12 inches
as connecting corner between
sections 24 and 25. Old corner
not found.

69.00 Bench top between N.W. and S.E.
and lower bottoms and outer uplands.
80.22 The corner to sections 23, 24,
25 and 26.

Land first rate - mostly under
cultivation, with bottoms -

West end upload soil 2nd rate.

78 Subdivision T. 8 S. R. 2 E. Subdi-
B. S.

Chains From corner to sections 2:
24, 25 and 26. Draw in
accordance with instructions
to establish base line for subdivi-
sion of the Spanish Fork 47.75.
Indian Reservation
West on a true line between 58.00
sections 23 and 26. 103.00

Variation $16^{\circ}36' E.$ 69.50.

- 23.00 Point between bench on South 79.50.
and bottoms on the North 80.00
25.50 ditch bears N.E.
30.25 Old dam road bears N.E. and
S.W.; dead end bench bearing N.E.
and S.W.
34.50 Foot of bench; enter bottom
and fence bears N. and S.
35.00 Road bears N.E. and S.W.
37.50 Road bears N.W. and S.E.
39.00 Leave bottoms at top of some
bench bearing N.W. and S.E.

Subdivision T. 8 S. R. 2 E.

Chain 40.00 Set a limestone 15X10X5 in. 10 in. deep, marked $\frac{1}{4}$ on the north side with 4 pits each 24X12X12 in. for $\frac{1}{4}$ acre cor.

Fork 42.75. Bound from North side of Oregon Mill Road N.W.

between 58.00 ditch 50 links North runs W.E.
63.00 same ditch bears S.E.W.

36° 69.50. Road bears N.W. and S.E.

North 79.50. ditch bears S.E.W.

80.00 Set a limestone 16X11X6 in
10 in. deep marked 2 notches
on the south and east edges
for corner to sections 24.23.

26 and 27. with 4 pits each
18X12X12 in.

Land mostly level
Soil 1st rate. -

BOOK
Scribner

Goldenview T. 8 S. R. 2 E.
Bears West on a true line between
sections 22 and 27.

Variation 16° 36' E.

- | | | |
|-------|--|--|
| 8.75 | Ditch bears S.W. and N.E. | |
| 20.50 | Ditch N & S. | |
| 30.50 | Ditch N & S. | |
| 40.00 | Set a lime stone 16X14X7 in 10 in. deep, marked $\frac{1}{4}$ in. on the north side, with 4 pits each 12X12X12 in. for $\frac{1}{4}$ sec. cor | |
| 57.00 | Road bears N.E. and S.W. 4.00 | |
| 58.00 | Utah Southern Rail Road bears N. 40° E and S. 40° W. 21.50 | |
| 61.50 | Mr. J. Carter's house North 38.50 20 lks distant. 40.00 | |
| 72.50 | 2 nd House of Mr. J. Carter bears S. 50 licks distant | |
| 80.00 | Set a granite boulder 14X12 X8 in. 8 in. deep, marked 3 76.00 notches on the east and 2 notches 80.00 on the south edges. with 4 pits | |

226 Section T. 8 S. R. 2 E. 2

each 24X12 X12 in. for corners to
sections 21, 22, 27 and 28.

Fields. Soil first rate.

West on a true line between
sections 21 and 28

Variation $16^{\circ}36'6''$.

4.00 Isaac Robins house 50 links
North. - back fields N and S.
21.50 Ditch N and S.

North 38.50. Road NW and S.E.

40.00 Set a granite stone 12X11X9 in.
8 in. deep, marked $\frac{1}{4}$ on the north
side, with 4 pits each 24X12
X12 in. for $\frac{1}{4}$ sec. lot.

76.00 Calieb's ^{house} 250 links North
80.00 Set a limestone 16X10X10 in. 10
in. deep, marked 2 notches on the

Subdivision S. 8 T. R. 2 E.

Chain south and 4 notches on the east edges with 4 pits each 24x12x12 in. for corner sections 20, 21, 28 and 29.

Level first rate land:
grassy and undergrowth.

West on a true line between sections 20 and 29.

Variation $16^{\circ}36' E.$ 4.50

4.00 Luther Stewart house beam
North 50 links. 8.00

14.50 Road N.W. and S.E. 40.00

40.00 Set a limestone 16x8x8 in. 59.00
10 in. deep. marked $\frac{1}{4}$ on the north side, with 4 pits each 79.00

18x12x12 in. for $\frac{1}{4}$ over cor-

63.00 Road N.W. and S.E. 82.16

Subdivision T. 8 S. R. 2 E.
Chambers

on the 80.00 Set a limestone 13X9X8 in. 8 in
deep, marked 3 notches on the
south and 6 notches on the east
edges for corner to sections 19, 20,
29 and 30.

Land level, 1st rate.

West on a random line between
sections 19 and 30.

Variation 16°36' 0"

4.50 Vacant frame cabin bears South
50 links

8.00 Road N. and S. W.

40.00 Set a stone for temporary $\frac{1}{4}$ acre cor-

8 in. 59.00 Road N. and S.

78.50 Road N. and S.

79.00 A house 100 links N. and a corral
150 links south.

89.16 Intersected the West Boundary

Subdivision
S. 8 S. R. 2 E.

Chain of the Township 2.00 chains
north of corner to sections 19, 30, 24 and 25; from which 22.15
corner I run. 30.25 ft

N. $88^{\circ}34' E.$ on a true line
between sections 19 and 30. 40.00 ft

82.16. Set a limestone 13 X 10 X 5 in.
8 in. deep. marked $\frac{1}{4}$ on the north side, with 4 pits each
24 X 12 X 12 in. for $\frac{1}{4}$ sec. cor
82.16. The corner to sections 19, 20
29 and 30.

Land level T. rate.

5.75

40.65

From the old corner to sections

Limestone
20 x 12 x 6.

26, 27, 34 and 35, the corner
in place and agreeing with the description furnished
by the Office, to wit a Limestone 20 x 12 x 6. I run

East on a random line
between Sections 26 and 35. 81.30

Subdivision T.8 S. R. 2 E. ^{E. 16}

- chain chain Variation $16^{\circ}36'8''$.
- 18.75 Ditch N.E. and S.W.
which 22.15 Ditch N. and S.
- 30.25 Road N. and S. between field and water
meadow and low land
- 40.00 Set a stone for temporary $\frac{1}{4}$ sec. cor.
 10×5 in. 60.75 Road N.W. and S.E.
on the 65.75 Road N. and S.
- 81.30 Intersected the N. and S. line
cor
19.20 35 links south from corner to
sections 25.26.35 and 36; from
which corner I ran;
 $S 89^{\circ}45' W$. on a true line
between sections 26 and 35
- 40.65 Set a sand stone $15 \times 10 \times 5$ in.
10 in deep marked $\frac{1}{4}$ on the
north side with 4 pits each
 $20 \times 12 \times 12$ in for $\frac{1}{4}$ sec. cor.
Old corner not found
- 81.30 The corner to sections 26.27.34
and 35.-

Subdivision T. 8 S. R. 2 E. Subdiv
Bhami East part low land and Bhami to
meadow. West part fields.
Sul 1st rate.

North on a true line between
sections 26 and 27.

Variation 16°36'

35.20 Lean field bearing E. and W.
40.00 Cut a limestone 12X12X6 in
8 in. deep. marked $\frac{1}{4}$ on the
west side. with 4 pits each
24X12X12 in. for $\frac{1}{4}$ sec. cor.

70.70 Intersected the South Boundary
of the Spanish Fork Indian
Reservation S. 89°43' W. 9.50

81.36 chains, from connection
corner on said boundary, set
between sections 26 and 26.

Where I set a Conglomerate

58

Subdivision T. 8 S. R. 2 E.

Chain rock 14X8X6 in. 9 in. deep.
marked R. I. C. C. with 3 pits
18X12X12 in. for Connection corner
between sections 26 and 27. and
at 40.68 Chains N. 89° 43' East.
From said corner, I set a road
stone 12X9X5 in. 8 in. deep
marked $\frac{1}{4}$ C. C. R. I. with 3
pits each 16X12X12 in. for $\frac{1}{4}$
section corner on the South
boundary of Reservation.

True

North 7° East between
sections 26 and 27

Variation 11° 36' E.

9.50 Ditch bears N. E. and S. W.
10.04 The corner to sections 22. 23
26 and 27.

South part fields. - North part
upland. Soil first rate.

September 27th 1878.

600

Subdivision T. 8 S. R. 2 E.

Blair From the old corner to

sections 27, 28, 33 and 34

Distance 17.176 ft.
A stone standing and agreeing with the description
furnished me by the Office to wit; a sandstone
 $12 \times 13 \times 6$ in. I run in

East in a random line.

Between sections 27 and 34

Variation $16^{\circ}36' E.$

25.75 ditch N. and S.

36.25 ditch N. and S.

40.00 Set a stone for temporary $\frac{1}{4}$ in.
sec. cor. Old corner not found

40.13 56.75 Road N and S.

81.20 Intersected the N and S line

25 links north from corner

to sections 26, 27, 34 and

35; from which corner I ran

N. $89^{\circ}49' W$ on a true line

between sections 27 and 34.

40.60 Set a lime stone $12 \times 8 \times 7$ in.

8 in. deep, marked $\frac{1}{4}$ on the

north side with 4 pts each

$18 \times 12 \times 12$ in. for $\frac{1}{4}$ sec. cor.

Subdivision T. S. S. R. 2 E. P.
Chain 81.20 The corner to sections 27. 28. 33
and 34.

Fields. Soil 1st rate.

North on a true line.
between sections 27 and 28
Variation 16°36' E.

not found 40.13 Find old 1/4 sec. cor. standing in
field

S. line 47.10. Utah Southern Railroad bears
corner N.E. and S.W.

70.54 ditch B. and W.

70.64. Intersected the South Boundary
of the Spanish Fork Indian
Reservation S. 89°43' W. 80.96
chains from connection corner
between sections 26 and 27 on
said boundary, where I set a line
stone 18X8X7 in. marked R.L.C.C.

BOOK

Subdivision T. 86. R. 2. E.

Chains 10 in deep with 3 pits. 18 ft.
 $\times \frac{1}{2}$ in. each, for connection
 corner between sections 27
 and 28. - and N. 89°43'0
 40.48 chains I set a line
 stave $20 \times 12 \times 6 \frac{1}{4}$. 12 in. deep. 140. E
 marked $\frac{1}{4}$ C.C. for $\frac{1}{4}$ sec. cor.
 as the south boundary of the
 Reservation in section 27. 40.00

thence

N. 11°30' East between
 Sections 27 and 28

Variation 16°36'8 80.12

0.50 Road bears E. and W.
 1.00 ditch bears E. & W.
 4.00 Road bears N.E. and S.W.
 9.50 Road bears E. and W.
 10.62 The corner to sections 21, 22,
 27 and 28. 40.06

South part fields. balance
 upland Soil first rate.

Subdivision, F. & J. R. 2 Q.

From old corner to sec 28, 29, 32 and 33, the corner standing and agreeing with the description furnished me by the Office to wit: -
a sandstone $15 \times 12 \times 6$ in., I recd.

East on a random line between sections 28 and 33. -

Variation $16^{\circ}36' E.$

4.40. East side of street bears N. and S. and center field

4.75 A house 50 links north

4.00 Set a stone for temporary N. and S. cor.

Old corner not found

46.25 Utah Southern Railroad bears N.E. and S.W.

80.12 Intersected the N. and S. line.

25 links south from corner to sections 27, 28, 33 and 34 from which corner I run.

$89^{\circ}49' W.$ on a true line between sections 28 and 33.

40.06 Set a sand stone $13 \times 10 \times 7$ in. 8 in. deep marked $\frac{1}{4}$ on the north side, with 4 pits each

Subdivision T. 8 S.R. 2 E.

Bhais 18x12x12 in for 1/4 acre cor
80.12 The corner to sections 28
29. 32 and 33.

Fields - Soil 1st rate

Plot on a true line
between sections 28 and 29

Variation 16° 86' E

1.50 Spring branch 15 links wide
runs S.W. and enter Benjy
City, and continued on the
West side of the street.

5.00 A house 75 links West.

6.30 A house 3.00 cha. East.

11.00 A house 75 links West.

12.00 South side of cross street E. and

24.50 South side of street bears E and

31.50 South side of street bears E and

Subdivision T. & S. R. Co.

Plan:

- 40.00 Set a lime stone 15X10X3 in. 10
in. deep, on west side of street -
marked $\frac{1}{4}$ on the west side with
4 pits each 24X12X12 in. for $\frac{1}{4}$
etc. etc. - Old corner not found.
- 44.50 A house 6 chs east.
- 69.40 ditch E and W leave Benjamin City
- 70.37 Intersected the South Boundary
of the Spanish Fork Indian
Reservation, S. $89^{\circ}43'W$. 80.40
chains from Concession corner
between sections 27 and 28.
on said boundary. where I set
a Lime stone 14X12X8 in. 6
in. deep. marked R. I. C.C. for
concession corner between sections
28 and 29 with 3 pits each
24X12X12 in. - Found a lime
stone supposed to be the corner
18 links north but not marked.
and at 40.20 chs. N $89^{\circ}43'E$.

Subdivision T. 8 S. R. 2 E.

Claim from said corner I set a
lime stone $16 \times 14 \times 3$ in.
10 in. deep, marked $\frac{1}{4}$ C.C.
with 3 pits each $18 \times 12 \times 12$ in.
for $\frac{1}{4}$ sec. cor. on the south
boundary of the Reservation
in section 28. -

Subdiv
Claims
31
w
to
10
81
9.56

N. $12^{\circ} 45' E.$ between
sections 28 and 29.

Variation $16^{\circ} 36' E$

2.80 Road bears N.W. and S.E.
11.04 The corner to sections 20
21. 28 and 29.

time 20.10.
40.00

Cultivating land. Soil
first rate. -

Subdivision J. G. S. R. & E.

Chains From the Old 1/4 section corner bet sections
 31 and 32. the cor stone standing and agreeing
 with the description furnished me by the Office
 to wit: - a sandstone 16 x 10 x 5, in;
 I run;

North on a true line between
 sections 31 and 32.

Variation 16°36' E

2.56. Old fence bears E. and W.

20.10. ditch bears SW and N.E. leave
 meadow and enter field

40.00 Set a lime stone 16x12x6 in. 10
 in. deep; marked 2 notches on the
 south and 5 notches on the east
 edges with 4 pits each 24x12
 $\frac{1}{2}$ in. for corner to sections
 29. 36. 31 and 32. Rd
 Corner not found.

Meadow and field - land
 1st rate. -

BOOK
JULY

Pendleton T. & S. R. R.

Chains West on a random line
between sections 30 and 31

- Variation $16^{\circ}36' E$ 80.78 C
- 40.00 Set a stone for temporary 1/4
section corner
- 50.30 Slough and an old fence
between N. and S. outer meadow
- 54.50 Slough 50 links wide bears
N. and S.
- 74.50 Slough 30 links wide bears
N. and S.
- 80.78 Intercepted the West boundary
of the Township 30 links
North from corner to section 4.50
30.31. 25 and 36; from north
corner I run,
 $N. 89^{\circ}47' E$. on a true line
between sections 30 and 31. 6.75
40.78 Set a lime stone 14x10x5
in. 9 in. deep. marked 7 on
the north side. with 11 pits 15.00

T. 8 S. R. 2 E.

Line runs each 24 X 121 1/2 in for 1/4 acre.

Cot -

80.78 The corner to sections 29.30
31 and 32.West half meadow land
East part fields - Soil first rate.North between Sections
29 and 30.

Variation 16.36°.

4.50 A. J. Stewart Jr. house 120 links
West5.00 Blacksmith shop 50 links East
and springs 30 links West6.75-11 links Back to the SW corner
of A. J. Stewart Jr. house15.00 Corral along the line on the East
and one 5.00 chains more.

Subdivision T. 8 S. R. 2 E.

Chains

20.00 fence corner E. and N.

22.00 A. J. Stewart's garage
250 links East.

27.00 corral on East side of line

30.00 corner fence C. and S.

40.00 Find old $\frac{1}{4}$ sec. cor. at cor-
ner of fence N and W.

Reset it with 4 pits each

2. $\frac{1}{12} \times \frac{1}{12}$ in. for $\frac{1}{4}$ sec.

cor.

70.50 Intersected the South boundary
of the Spanish Fork
Indian Reservation
S. 89° 43' W. 81.34 Chains
from common corner
to sections 28 and 29 on said
boundary - find stone
20 links north marked + 40.00
and set a lime stone 11 X 9

Luddington T. & R. Co.

Chains 6 10. deep, marked R. L. C. C.
with 3 pits each 24X12X12
in. for connection corner
between sections 29 and 30
on the south boundary of
the Reservation - and run
which corner N. 89° 43' E.

40.67 Set a lime stone
15X10X8 in. 10 in. deep
marked $\frac{1}{4}$ C. C. with 3 pits
each 18X12X12 in. for $\frac{1}{4}$
section corner on the line
of reservation in section
29.

Returned to said corner
to sections 29 and 30 and run
S. 89° 43' W along the line
of reservation in Section 30.

40.00 Get a sand stone 14X10X8 in.
9 in. deep, marked $\frac{1}{4}$ C. C. with
3 pits each 18X12X12 in. for

Judisdiction T.8 S.P. 2. 6

Claim 14 sec. corner on the E. bank
boundary of the Spanish
Fork Indian Reservation
in Section 30.

Returned to the connection
corner on south boundary 8.32
of the Spanish Fork Indian
Reservation between section
29 and 30. I ran
North $15^{\circ} 35'$ East between
sections 29 and 30

Variation $16^{\circ} 36'$

0.50 Road bear E. and W
11.67 The corner to sections
19. 20. 29 and 30.

Good first rate land.
Partly part inhabited and
under cultivation

September 28th 1878

1.00

5.2

167

Subdivision T.S.G.R. 2²
Banks Spanish North between sections
23 and 24.

Variation 16° 36' E.

- 5.00 Top of bluffs. and enter River
bottoms bearing East and West
8.32 To an old meander corner on
the left bank of the Spanish
Fork River established for
the Spanish Fork Indian
Reservation between sections
23 and 24.

South part upland. North
part bottom. Soil 1st and
2nd rate.

North between Sections 22 and 23.

Variation 16° 36' E.

- 1.00 Broad 15 links wide bears S. 80° W.
and N. 80° E.

103
Subdivision T. 3rd R. 2nd
Brain

5.25 Road bears E. and W. from which Joseph E. Berk's house bears N. 55° W about 6.00 chain distant.

5.75 Canal bears N.W. and S.E.
9.50 River bed bottoms bear N.W. and
14.50 across bottoms bearing N.E. and S.E.
19.00 Bottoms bear N.W. and S.E.
20.00 Spanish Fork River 60 links wide runs N.W.

29.67 Set a lime stone 15 X 12 X 8 in.
10 in deep, marked M.C.R.L. 6.00
with 3 pits each 24 X 12 X 12 in. 14.50 H
for meander corner on the 25.25 S
West side of Spanish Fork. 40.00 O
Rive, and on the boundary of 11
the Reservation between sections 22 and 23. Old corner not found.

31.00 Spanish Fork River 60 links 50.00 W
wide runs N.E. 54.75 f

40.00 To old 1/4 sec. corner before 75.00 u

185

Subdivision T. 8 S. R. 2 E.

W. from Chais. sections 22 and 23 established
by former surveys.

Land first rate, cut up with
River-bottoms.

North between sections
21 and 22.

Variation 16°36' E.

6.00 Leave field which bears E. and W.

12 in. 1450 Road bears N.E. and S.W.

25.25 Road bears N.W. and S.E.

40.00 Set a lime stone 14X8X6 in. q
in deep. marked $\frac{1}{4}$ on the west
side, with 4 pits each 12X12X12
in. for $\frac{1}{4}$ sec. cor.

50.00 Wm Mc Kee's house E. 10. chain.

54.75 field E. and W.

75.00 leave field. E. and W.

Subdivision T.8 S. R.2 E.

Chain

78.50 Road E. and W.

79.25 field E. and W.

80.00 Set a lime stone 14X8X6 in
9 in. deep. marked 3 notches
on the south and east edges
for corner to sections 15-16
21 and 22. with 4 piles
each 20X12X12 in.

Land level 1st rate partly
under cultivation.-

Cast on a random line
between sections 15 and 22.

Variation 16°36' E.

4.00 Road bears N.E. and S.W.

5.00 Indian Road 15 links wide
bears N.E. and S.W.

22.25 End of field bears N. and S.

Subdivision T. 8 S. R. 2 E.

Chains 30.75 Road bears N.E. and S.W.
35.50 field N and S.

40.00 Set a stone for temporary $\frac{1}{4}$ section
from which L. Jones house bears
N. 30° W. about 20 chs distant
and John Beck house S. 45° E.
about 25 chains distant.

46.30 Road N and S.

54.25 Road N and S. and end of field

55.25 Bottoms bear N. and S.

58.25 Spanish fork River runs North $\frac{1}{2}$
50 links wide.

80.10 Intersected the N. and S. line
62 links South from old corner
to sections 14, 15, 22 and 23
from which corner I run
S. 89° 33' W. on a true line
between sections 15 and 22

93.75 Set a lime stone 22x12x9 in.
12 in. deep. marked R. M. C.
with 3 pits each 24x12x12 in.

Subdivision T. & S. R. 9^E

Chain for Meander corner of the
Reservation on the West side
of Spanish Fork River between
sections 15 and 22.

Old corner not found 29.00 ditto
40.06 Set a lime stone 11X8X5 in.
6 in. deep marked $\frac{1}{4}$ on the
north side with 4 pits each
16X12X12 in. for $\frac{1}{4}$ sec. cor
80.10 The corner to sections 15, 16,
21 and 22.

East end cut up with river
bottoms. Balance level land
1st rate and mostly under
cultivation.

Subdivision J. J. G. R. S.

of the Prairie North between sections 15 and 16.

Variation 16°36' E.

14.00 ditch E. and W.

25.00 Road and end of field E. and W.

29.00 ditch N.E. and S.W.

36.00 Road N.E. and S.W.

38.50 Road E. and W.

40.00 Set a limestone 16X9X4 in. 10

in. deep. marked $\frac{1}{4}$ on the west

side with 4 pits each 24X12X12

in. for $\frac{1}{4}$ occ. cor. from which

A. Humble has a beam 3.82' W.

20 chs. distant.

45.00 field E. and W.

79.00 Road E. and W.

80.00 Set a sand stone 18X13X5 in. 12

in. deep. marked 4 notches to the

south and 3 notches on the east

edges with 4 pits each 24X12X12 in.

for corner to sections 9, 10, 15 and 16.

Land level with fields drill 1^{1/2} gal.

Subdivision T. 8 S. R. 9 E.

Chain East and random line between sections 10 and 15

Variation $16^{\circ}36' E.$

- 17.10 Road bears N. and S.
 22.70 Branch of Spanish Fork River,
 links wide runs North
 30.60 Spanish Fork River 70 links wide
 runs N.W.

- 36.50 Bend of slough bears N and S.
 40.08 To a point 36 links South
 of old $\frac{1}{4}$ sec. corner, from this
 corner I run,

$S.89^{\circ}30' W.$ on a true line
 between sections 10 and 15

- 20.13 Set a lime stone $20 \times 12 \times 3$ in.
 12 in. deep. marked R. M. C
 with 3 pits east $24 \times 12 \times 12$ in
 for Maudie corner of the
 Reservation, on West side of
 Spanish Fork River between
 sections 10 and 15. Old 79.88. To

Subdivis.

Chains com
ap
40.08 The
and

Es

West

No

19.50 Dr

23.00 Im

ah

40.00 Et

from

15

11.3

53.90 Sp

ru

79.88. To

Subdivision J. & C. R. 2 E.

Between chains corner not found. Between
abley's house bears S. 10 W. 6 chains
40.08 The corner to sections 9, 10, 15
and 16.

East quarter in river bottoms
West part level land. Soil first rate.

North between sections
9 and 10 - on a random line
Variation 16° 36' E.

19.50 Ditch and end of field bear E and W.

23.00 Justice Dudley's house bears N.
about 15 chs distant. -

40.00 Set a stone for temporary, $\frac{1}{4}$ sec. cor.
from which Gayhouse bears N 41 1/4
15 chains and Mackrell's house
N 50 W. 35 chains

53.90 Spanish Fork River 200 links wide
runs N. W.

79.88 Point 86 links West from Old corner

Subdivision T. & R. 2 E.

Chain to sections 3, 4, 9, and 10, from chain
which corner I run.

80°37'15" on a true line
between sections 9 and 10.

33.21 Set a Lime stone 13X6X7 in 19.50
8 in. deep. marked R. M. C.
with 3 pits, each 18X12X12 in. 21.40
on the west side of Spanish Fork River, as Reservation
corner between sections 9 and 10. Old corner not found 40.00
Set

39.94 Set a lime stone 13X9X6 in.
in. deep. marked $\frac{1}{4}$ on the
side, with 4 pits each 24X12X7 in. 44.00
9.50 in. for $\frac{1}{4}$ sec. cor.

79.88 The corner to sections 9, 10, 15,
16.

Land Level. Soil first rate. 39.50

Subdivision T. S. S. R. 2 E.

10. From Chain North on a random line, between sections 3 and 4.

Variation $16^{\circ}36'6''$

10. 9.50 Field bears E. and W
~~16X7 in~~ 9.50 Slough 50 links wide bears N.W. and
 M.C.
~~X12 in~~ 21.40 Ditch bears N.E. and S.W.
 amidst 25.50 House 2 chs. East.

line No 26.10 Fence E. and W.

sections 37.00 Fence bears E. and W
 not found 40.00 Set a stone for temporary $\frac{1}{4}$ sec. cor
~~16 in. &~~ from which a frame house East 50 links.

44.00 End of field bears E. and W.
~~24X12~~ 79.50 Intercepted the North boundary of
 the township at corner to sections
 3. 4. 33 and 34. from which I run
 South on a true line between sections
 3 and 4.

39.50 Set a sand stone $15 \times 10 \times 5$ in. 10 in
 deep. marked $\frac{1}{4}$ on the west side
 with 4 pits each $12 \times 12 \times 12$ in. for $\frac{1}{4}$ sec.

113

Subdivision T. 8 S. R. 2 E.

BOOK-A

Chain cor. Old corner not found
supposed to have been removed
79.50 The corner to sections 3, 4, 9, 10. 00 Set
and 10.

South part in field - below
level soil first rate

September 30th 1877

From N. w. to sec., 20, 21, 28nd 29 Draw

North between sections 20 and

Variation 16° 36' E.

0.50 ditch E. and W.

34.75 Russell P. Donley house 4 rods n.
36.00 drain bears West

37.75 Aaron A. Shepherd house on line

40.00 Set a lime stone 20x10x8 in. 12
deep. marked 1/4 on the west side

with 4 pins each 2 1/4x12 1/2 in. for 1/400

40.50 John Hanson's house 39 in. West

42.00 Frame shantie 5 chs. west

72.00 A cabin 10 chs. east

Subdivision

Chain

78.50 Draw

79.50 Draw

80.00 Set

deep

ave

with

cross

La

one

Ed

sec

6.75 A

9.50 Draw

12.00 A

13.50 Sy

34.00 M

Subdivision T. 8 S. R. 2 E.

found 78.50 David Hutchinson house 8 chs. East
 road 79.50 Sylvester Smith house 11 chs. East.
 3.4.9. 80.00 Set a lime stone 15 X 9 X 8 in. 10 in.
 deep. marked 3 notches on the south
 and 4 notches on the east edges
 with 4 pits each 24 X 12 X 12 in. for
 corner to sections 16, 17, 20 and 21.

30th 1887

29 June

20 and

36° E.

who m

on line

8 in. 12

rest in

for 1400

West:

at

Land level, first rate, mostly
 under cultivation.

East on a random line, between
 Sections 16 and 21.

Variation 16° 36' E.

6.75 A Corral 5 links north 2 chs wide.

9.50 David Hutchinson house beam 8.50 links

12.00 Andrew Shepherd house. S. 10 chs.

13.50 Sylvester Smith houses. 5 links North.

34.00 Main ditch beams N.W. and S.E.

Subdivision S. 88. R. 7. E.

Brics

35.50 Joseph Chambers house N. 25 links Bricks

36.50 Vacant house S. 100 links; David

Lee house N. 9 chs. and Ephraim
Dimmick's house 24. chs North

40.00 Set a stone for temporary survey

42.00 Eliza Shepherd house 6 chs. S.

45.25 Canal bars N.E. and S.W. 9.00 D.

47.50 Road bars N. and S. 20.00 D.

53.25 Road N.W. and S.E. +

65.00 Field N. and S. 28.00 E.

79.76 Intercepted the N. and S. line 30.00 G.

60 links South from corner to co.

sections 15. 16. 21 and 22; from 37.00 d.
which corner I run. 39.00 K.S. $89^{\circ} 34' W$ on a true line 40.00 G.

between sections 16 and 21

39.88 Set a lime stone 14x10x8 in. Q.

Deep marked $\frac{1}{4}$ on the north sidewith 4 pits each 18x12x12 in. for 1^{1/2}

A.C. C.R.

79.76 The corner to sections 16. 17. 20. 50.00 W.

Subdivision T 8 S. R 2 E.

1.25 line Main First rate level land and fields.

David

Ephraim

North

1/4 acre

Lots.

NW

North between sections 16 and 17

Variation 16°36' E.

9.00 David McVee house 23 chs. E.

20.00 Set a lime stone 15x12x4 in. marked
+ for NW corner of Sylvester Smith land28.00 Ephraim Gerricks ^{house} 23 chs. East.S. line 30.00 Set a lime stone marked + for W.W.
corner of S. Smith's land

22. if from 37.00 drive and cut off field bear E and W.

39.00 Road bears N 12° and S. W.

line 40.00 Set a lime stone 16x14x14 in. 10 in
deep, marked 1/4 on the west side
with 4 pits each 2 1/4x12x12 in. for the
sec. cor. from which Char Messen
house, S. 30 W. 10 chs and Wm

Furgerson house N. 60° E. 10 chs.

17.20 50.00 Balance 3 chs west.

EGOK

Subdivision J. & S. R. Co.

| 57.00 | Dugout house 5 chains West. | 9.00 | |
|-------|--|-------|------|
| 61.00 | A house 11 chs. west | 11.00 | |
| 63.00 | A house 10 chs. east | 13.50 | |
| 13.75 | Road E. and W. | 91.00 | Set. |
| 77.00 | Road N.W. and S.E. | 40.00 | Set. |
| 79.00 | Road E. and W. Cuter field | 41.00 | dir. |
| 80.00 | Set a lime stone 20X8X3 in 12 in. deep, marked 4 notches on the south end and 4 notches on the east edge 11.60 Cor. with 11 pits each 18X12X12 in for 75.90 covered to sections 8, 9, 16 and 17. 9.70 Dr. from which John F. Billingsham bears \$1.87 W about 4 chs. distant 70 sec. cor. S. C. hew. 4 ft. 10 in. 10 in. 4 ft. 10 in. 10 in. | | |
| | Level land, mostly under cultivation. Soil first rate. | | |
| | East on a random line between sections 9 and 16. 79.70. The variation 16' 36" 10 sec. 10 in. 10 in. 4 ft. 10 in. 10 in. | | |

- Subdivision J. & J. R. 2 E
Twp 10
Westerly 9:00. End of ditches N. and S.
11:00 Surveyed distance S. 10 deg
13.50 ditch N. and S.
91.00 fence field N. and S.
40.00 Set a stone for temporary $\frac{1}{4}$ sec. cor.
of field 41.00 ditch N. and S. and water field
3 in. 12 in. 3.50 ditch bears S 89° W. and N 89° E.
on the m. 1.50 corral 20 links N.
at edge 3.00 Thos Bates house 100 links north
112 in. 45.90 ditch N. and S.
16 a.m. 1.9.70 Intersected the N. and S. line
Twp 10
S. 10 deg from corner to
the ditches
corner I run:
S. 89° 30' W. on a true line.
between sections 9 and 16.
39.85 Set a red sandstone 19 X 14 X 3 in 12
in. deep. marked $\frac{1}{4}$ on the north side with
4 pits each 120 X 12 X 12 in. for $\frac{1}{4}$ sec. cor.
and 16. 19.70 The corner to sections 8, 9, 10 and 17.
36' 0"

BOOK

Subdivision S. 8 S. R. 2 East.

Brown North between sections 8 and 9
Variation $16^{\circ} 30' E$

19.10 leave field E. and W. 40.00
23.00 J. F. Williams house 250 feet E. 8.50
27.00 ditch E. and W. 4.00
39.25 ditch E. and W. and outer field 6.00
40.00 Set a limestone $18 \times 9 \times 4$ in. 12 in. 2.30
deep. marked $\frac{1}{4}$ on the west side 8.00 Large
with 41 pits. each $16 \times 12 \times 12$ in. for $\frac{1}{4}$ in.
from which Mr. Brockhouse N. 8 W. N. 91.40
Banks house $11.45^{\circ} W.$ 18 chain 8.00 leave
Swanson's house N. 30 W. 28 ch 40.00 Set
49.50 leave field E. and W. 45.00. 111
51.50 Road N.E. and S.W. 49.00 Spring
80.00 Set a limestone $16 \times 10 \times 6.70$ in.
marked 5 notches on the south 63.00 Slope
and 5 notches on the east edge 110.60 69.00 Slope
4 pits each $24 \times 12 \times 12$ in. for corner 76.50 Road
sections 4. 5. 8 and 9; from which 77.00 A
Tibbles house N. $45^{\circ} E$ about 30 ch 80.66 A
Land first rate, partly cultivated, 25

Goldsmith T. P. J. R. 2 Gall

P and chains East on a road on hillie,

between sections H and G.

Variation 16° 36' 0".

Links 8 8.50 Roads bears N. and S.

4.00 Road bears N.W. and S.E.

field 6.00 Small ravine bears N.W. and S.E.

12 in 2.30 Ravine bears south, bears N. & W.

to side 28.00 Large ravine 50 links wide bears

N.W. and S.E.; junction 50 links S.

18 W. 11-140 field N.W. and S.E.

2 chains 28.00 leave field N. and S.

28 ch 40.00 Set a stone for temporary 1/4 sec. cor.

45.00 W^m Barney's house N.E. 3 chains in

49.00 Spanish Fork River 100 links wide

10 in runs N. & W.

with 63.00 Slough 100 links wide runs S.W.

190 m 69.00 Slough 50 links wide bears N.

corner 76.50 Ravine bears N.W. and S.E.

which 77.00 A Road bears N.W. and S.E.

30 ch 80.66 Intersected the N. and S. line

25 links south from corner to

121
Subdivision J.S.L.R. 2 East

BOOK-A

On this section 3, 4, 9 and 10, from which corner I am.

189-19' W. on a true line.

Between sections 4 and 9 20.00 ft.
35.92 Set a limestone 20X15X8 in. 12.560
in deep, marked R. M. C. in 2.50 Roof
3 pits each 24X12X12 in. for 35.60 Roof
Meander corner of the Spanish
Fork Indian Reservation on 40.00 ft.
West side of Spanish Fork 45.00 ft.
Old corner not found. 51.10 Loc.

40.33 Set a sandstone 15X8X6 in. 11.5.00
deep, marked $\frac{1}{4}$ on the north 6.20 Spring
side, with 11 pits each 20X12 in.
in. for $\frac{1}{4}$ sec. cor. 90.20. In

80.66. The corner to sections 4, 5
8 and 9.

West part land level. Soil 1st
East part broken bottoms -

2.35 Elevation

East
from
line.

Subdivision T 8 S. R 2 E.

Span. North on a random line
between sections 4 and 5

Variation 16° 36' East.

19 20.00 Ravine 30 links wide N.W. and S.E.
18 in. 12.560 Fiddell house East 18 chains
E. min. 2.50 Road E. and W. and a house E. 12 ch
in. for 2560. Road N.W. and S.E. and a
Spanish corral E. 2.50 links

on. on 40.00 Get a stone for temporary 1/4 acre cor.
Fork 45.00 field N.W. and S.E.

5.10 Humpy Brown's house E. 5.00 chs.
16 in. 10.500 Meadow E. and W.
north 6.20 Spanish Fork River 100 links wide
runs N.W.

20.20 Intermarked the North Boundary
of the Township 20 links East from
corner to sections 4, 5, 32 and 33.
From which corner I ran.

S. 0° 09' E. on a true line,
between sections 4 and 5.

2.35 Got a sand stone 16 X 14 X 5 in. 10 in

123

Subdivision T. 8 E. R. 2 E.

| | | | |
|--------|--|---------------------------------|-------|
| Blanks | deep, marked R. M. O. with pits each 20x12x12 in. on the east side of Spanish Fork River North 6.07 chains, from point of intersection of meander line of the Spanish Fork River and Reservoir, as a witness meander corner of said Reservoir between sections 4 and 5 | 18.25 | Ros |
| | | 0.00 | Peter |
| | | 18.25 | R. S. |
| | | 91.50 | Ros |
| | | 6.25 | diff |
| | | 35.30 | Ros |
| | | 40.00 | Set |
| | 10 in deep marked $\frac{1}{4}$ on the west side, with 4 pits, each 18x12x12 in. for the sec. cor. | deep with $\frac{1}{4}$ s | |
| | 80.20 The corner to sections 4, 5 8 and 9 | 46.00 | diff |
| | | 48.00 | Ros |
| | | 49.50 | Ros |
| | | 59.70 | Do |
| | | | Wes |
| | Deed for land for first rate partly under cultivation | | |
| | Robt. 1 st 1878. | 72.00 | El. |
| | | 80.00 | Scr |
| | | | dry |

BOOK-A-167

- 124
- E.
8 miles
on the
Fork River
at point 18.25 Road bears E. and W.
under 40.00 Peter E Ormslacker's house bears
N. 81° W 12 chs distant
In 40.50 Road bears E. and W.
at Recom 46.25 ditches E. and W.
At 45.30 Road E. and W.
1286 in 40.00 Set a lime stone 14X10X4 in. 9 in.
deep, marked 1/4 on the west side
with 4 pits each 24X12X12 in. for
1/4 sec. cor.
- 4.5 46.00 ditches N.W. and S.E.
48.00 Road N.W. and S.E.
49.50 Robt. Smith's house 5 chs. East.
59.70 Isaac Ross dugout cabin bears
West 5 chains distant.
78. 72.00 Eli Hamptons house 18 chs. East.
80.00 Set a lime stone 15X19X4 in. 10 in.
deep, marked 3 notches on the south.

Subdivision S. 8 U. R. 2 E.

Plain and 3 notches on the east edge
with 11 pits each 18x12x12 in 41.00 John
for corner to sections 17, 18, 42.00 Rock
19. and 20. from which come 46.50 Road
Nathan Blayson house bears N 80° E. 5 chs distant. 38.30 Inter
sinks.

Level first-rate land, partly
under cultivation. -

East on a random line
between sections 17 and 20. 80.36 The
Variation 16° 36' E.
5.50 Nathan Blayson house N. 150°
8.00 John Hawkins house S. 10 ch.
17.00 Road NW. and SE.
20.00 Ely Hawkins house 18 ch. S.
38.30 Road and leave field road S.

Subdivision T.8 S. R. 2 E.

- ast edge 40.00 Set a stone for temporary $\frac{1}{4}$ sec. cor.
 2 X 12 in. 41.00 John Hanson house S. 90° E.
 17. 18. 42.00 Robertson's house 30 chs S.
 ich com. 46.50 Road N. 81° E. and S. 80° W.
 e. 48.00 field N. and S.
 1. 49.36 Intersected the N. and S. line 14
 links south from corner to sections
 16. 17. 20 and 21 from which corner
 I run. S. 89° 54' W. on a true line
 between sections 17 and 20.
 50.18 Set a lime stone 14X10X8 in. 9 in.
 deep. marked $\frac{1}{4}$ on the north side
 with 4 pits each 2 in. X 12 in. for $\frac{1}{4}$ sec. cor.
 and 20. 50.36 The corner to sections 17. 18. 19 and 20.
 Land level first rate. with fields.
 West on a random line
 between sections 18 and 19.
 Variation 16° 36' E.

Subdivision T. 8 S. R. 2 E.

Chains set a stone for
40.00 temporary 1/4 ac. cor.

82.10. Intersected the West Bound-

ary of the Township 175 links 27.00 da-
North from corner to sections 35.50 Lo-
18. 19. 13 and 24. from which 36.25 Re-
corner true; 40.00 Ge-

N. $88^{\circ} 45' E$ on a true line
between sections 19 and 30.

42.10. Set a lime stone 14x8x6
in. 9 in. deep marked 1/4 on the
north side with 4 pits each 18x12x6 0.00. Ge-
X12 in for 1/4 ac. cor. -

82.10. The corner to sections 17. 18
19 and 20

First rate level band -

Division T. 8 S. R. 2 E.

Chains North between sections
17 and 18.

Bound.

Variation 16° 36' E.

- 175 links 27.00 ditch bears E. and W.
 sections 35.50 Log foundation bears W. H. chs.
 which 36.25 Road bears E. and W.
 40.00 Set a lime stone 14 X 8 X 7 in.
 9 in. deep marked $\frac{1}{4}$ on the
 west side, with 4 pits each 18 X
~~12 X 12 in. for $\frac{1}{4}$ sec. cor. from which~~
~~John & Williams house bears 0.8000. 15,000 chs.~~
 78.75 ditch bears E. and W.
 90.00 Set a lime stone 12 X 12 X 10 in.
 8 in. deep, marked 4 notches
 in the south and 5 notches on
 the east edges with 4 pits, each
 18 X 12 X 12 in. for corner to sections
 7.8.17 and 18.

Land level. Soil first rate.

Subdivision T. 8 S. R. 2 E.

Chain East on a random line
between sections 8 and 17.

Variation $16^{\circ} 36' E.$

4.50 Road bears N.W. and S.E. 80.52 The

8.00 Road N.W. and S.E.

16.50 Road N.W. and S.E.

17.50 Field N. and S.

36.50 Leave field N. and S.

40.00 Set a stone for temporary N.W.

55.00 Road N. and S.

73.00 corral on line 2.50 links N.W.

76.00 Road and field bear N. and S.

from which John F. Bellows house
bears N.W. 50 links distant.

80.52 Intersected the N. and S. line 10.00 A.

25 links south of corner from 82.50 N.W.

8. of 16 and 17. From which com 32.75 N.W.

Lamor 39.00 bear

S. $89^{\circ} 49' W.$ on a true line 40.00 Set
between Sections 8 and 17.

40.26 Set a round boulder 16 X 12 ft 52.00 bear

2 E Subdivision J. S. J. R 2 E
 line Chain 10 wide. marked $\frac{1}{4}$ on the north
 side, with 4 pits each 16X12X12 in.
 for $\frac{1}{4}$ acre cor.

d. L. C. 30.52 The corner to sections 7, 8, 17 and
 18.

Level land soil, first rate, partly
 under cultivation. -

West on a random line
 between sections 7 and 18

Variation $16^{\circ}36' E.$

E. line 10.00 A house 350 links North
 onto 32.50 Meadow near Head J.W.
 brick com 32.75 Road N. and S.

39.00 leave meadow Head J.W.

E. line 40.00 Set a stone for temporary $\frac{1}{4}$ acre cor.
 and enter plowed ground
 leave plowed ground. -

Subdivision T. 8 S. R. 2 E.
Chain
62.00 William James house bears on
6.00 chains distant.

82.06 Intersected the West Boundary
of the township 110 links from
from corner to sections 7. 18. 19. 50. Roads
and 13; from which corner 40.00 feet
I. m. i;

S. S. $89^{\circ}13' E.$ on a true line
between sections 7 and 18.

42.06 Set a lime stone 14x12x5 in. by
deep. marked $\frac{1}{4}$ on the north
with 4 pits each 20x12x12 in.
 $\frac{1}{4}$ sec. cor.

82.06 The corner to sections 7. 8. 17. 18.
and 19.

Land level with Meadow
Soil first rate. -

Subdivision T. 8 S. R. 2 E.

Years on claim Month, between sections 7 and 8.

Variation, $16^{\circ}36'6''$.

Boundaries
7.00 Harry Daigle's house E. 6. cha.
16.50 John Bellows cabin 3 chains West
to sec. 25.00 Meadow bears N.E. and S.W.

7.18. 22.50 Road bears E. and W.

corner 40.00 Set a lime stone 15X12X5 in. 10 in.
deep, marked $\frac{1}{4}$ on the west side
with 4 pits each 16X12X12 in. for $\frac{1}{4}$
sec. cor.; from which Ephraim
Hansen House bears No. 50 W.

15 chains, and a house 100 links N.E.
of the above.-

48.50 Slough bears S.E. and N. 100 links

7.8. 12. 6.00 Leave slough N.W. and S. ^{wide}

2.00 Rush bears E. and S. W.

30.00 Set a sand stone 14X10X6 in.

9 in. deep, marked 5 patches on
the south and 5 patches on the east
edges, for corner to sections 5.6.7 and 8

Level low land and meadow
with rushes on the north end. Soil 1^{1/2} mile.

Subdivision T. 8 S. R. 2 E.

Claims East on a random line, between sections 5 and 8

Variation 16°36' 0.00 Range

16.50 Leave Rush and enter meadow 0.00 16.50 Lake 0.00 Get a

29.00 leave meadow N. 3° and S. 00 deep, 1
40.00 Get a stone for temporary in sec. 00 with 3,
48.00 1/4 m. Mathews house bears North
8 rds. distant. - sec. on

49.00 Edward L. Probert house lies
South 5 rds. distant.

50.66 Intersected the N. and S. Line 00
south from corner to sections 5.6.7
8. from which corner I run
S. 89°32' W. in a true line,
between sections 5 and 8.

1033 Set a sand stake 16X12X3 in. 9 in.
deep, marked $\frac{1}{4}$ on the north side with
A point, and 24112112 in. for $\frac{1}{4}$ sec. post.

80.66 The corner to sections 5.6.7 and 8
line 1" gate level. Meadow and Rushes are
10 in.

Subdivision T. 8 S. R. 2 E.

v. hem chains North on a true line, between sections
5 and 6. - Variation $16^{\circ}36' E.$

6. " 36. 0.00 Cane island bears N.E. and S.W.
adsw N. 6.50 Lake road bears N.E. and S.W.

0.00 Set a sand stone 13X12X5 in. 8 in.
deep, marked $\frac{1}{4}$ M.-C. on the west side,
with 3 pits each 20X12X12 in. for $\frac{1}{4}$
sec. and Meander corner. on the
south shore of Utah Lake between
sections 5 and 6; from which a
cabin bears N. $82\frac{1}{2}' E.$ about 10 chs
distant. -

Low rushes and cane land
soil first rate.

West on a true line. between
sections 6 and 7.

Variation $16^{\circ}36' E.$

7 and 8. 0.00 Set a quartzite rock 15X14X5 in.
10 in. deep, marked $\frac{1}{4}$ on the north

BOOK-1

Subdivision T. 8 S. R. 2. E.

Chains side with 11 pits each 24X12 in.
in. for 14 sec. cor.

42.00 Base island bears N.E. and S.E.

53.00 Road N.W. and S.E.

56.00 M. Brown's house North, 75 links

58.50 Lake road N.E. and S.W.

68.00 Set a granite rock 13X12X5 in.
8 in deep. marked M.C. on the
north side with 3 pits each 24
12X12 in. for Meander corner
on the south shore of Utah Lake
between sections 6 and 7.

Low marshy and cane land
soil first rate. -

Meanders along the eastern
shore of Utah Lake.

Begin at the corner to fraction
sections 5 and 32 in the North
Boundary of the Township

Subdivision T. 8 S. R. 2 E.

Boundaries on the South Eastern shore of the Utah Lake, these run along the shore of said Utah Lake in front of fractional Section 5.

Variation $16^{\circ}36' E.$

S. $26^{\circ}45' W.$ 25.00 Chains

S. $52^{\circ}38' W.$ 29.45. " to
the corner of fractional Sections 5 and
6; thence

in Section 6.

S. $56^{\circ} W.$ 39.00 Chains.

S. $63^{\circ} W.$ 40.03. " to
the corner of fractional sections.

6 and 7; thence

in Section 7

S. $89^{\circ}54' W.$ 14.20 Chains
to the corner of fractional
sections 7 and 12 on the
West Boundary of the township

Subdivision T. 8 S. R. 2 E.

U. S. SURVEY

Salt Lake C

The foregoing
Subdivision

Reservatio

Township No.
of the said L

Executed by

Under

day of Aug

Number and Octo

examined, the

planations me

surveys they d

General description
 The quality of land in this
 ship. consists of small proportion
 of river bottoms on the West
 of Spanish Fork River. Large
 proportion of uplands. and
 small proportion of meadow
 and rushy land along the
 Lake. - The soil is mostly
 the 1st quality. and a large
 proportion of uplands are
 under cultivation. -

Spanish Fork River is a large
 stream. and furnishes abundant
 water for irrigation purposes.
 Utah Southern Rail Road
 crosses South Eastern portion
 of this Township. -

No minerals found.

Joseph Gorlinski depo

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, March 5th 1879.

The foregoing field notes of the survey of
Subdivision Lines of the Spanish Fork, Indian
Reservation, etc.

Township No. 8 South Range No. 2 East
of the Salt Lake Meridian Utah Territory -
Executed by Joseph Gorham

Under his contract of the 14th of

day of August 1878, in the months of

September and October 1878, having been critically

examined, the necessary corrections and ex-

planations made, the said field notes, and the

surveys they describe, are hereby approved.

J. D. Gorham.

Surveyor General for Utah.

R. 1879

BOOK-A-167

N^o 2.

139

Filed November 11th 1878, 11 P.M.

Examined by C. H. Crumwell.

Spnd by Otto L. Larson & H. A. Gorliwski

Field Notes of the survey
of the West and North
boundaries of Township N^o 8
South of Range N^o 2 East of
the Salt Lake Meridian through
Spanish Fork Indian Reser-
vation in the Territory of Utah
by Joseph Gorliwski, deputy
surveyor, under his contract
N^o 85, dated August 14th 1878.

P.

Survey commenced Sept. 26th 1878
Survey completed Sept. 26th 1878.

1st Boundary T. 8 S. R. 2. E.

run from a point on the South Boundary of the Spanish Fork Indian Reservation where I found no corner on the West Boundary of the Township between Sections 25 and 30.

I run
South on a random line
between sections 25 and 30.

Variation $16^{\circ} 36' E$

- 1.10. To a point from which Old 1/4 section line bears West 165 links distant
10. To a point on the north side of marshy, slough from which Mid corner stone to sections 25, 30, 31 and 36 bears West 153 links distant. Therefore the corner line will be 88 links East, and from which corner I run North $1^{\circ} 15' E$ on a line

West Boundary T.S.J.R. 20
Plain line along the West Boundary line L.C.C.
of Section 30.

Variations

40.00 Reset an old $\frac{1}{4}$ stone. 6 in. 0.60 Face

The ground marked $\frac{1}{4}$ on the side, with 4 posts 18 X 12 in. 0.00 Set a 9 in. deep for $\frac{1}{4}$ section corner on the so

46.50 Flat straight 5 chains wide
NW and SE.

62.00 Road bears NW and NE. in
meadow and center grassy road 0

67.25 Road bears NW and SE.

68.50 Road bears NW and SE.

70.10. Intercepted the South Bound
of the Spanish Fork Indian Reservation 7.89°43' W.

98 Chains from corner between
Lots 10 and 11 of said Reserve
where I set a Limestone 20,
X 10 in. 12 in. deep marked

West Boundary
Variations
between
the 1100
sections
from the
bears of
the North
water.
North
the West
19.-

R 20 West Boundary S. 8 E. 2 E.

Bound. line I.C.C. on the west side, with 3
pits 18x12x12 in for corners
between sections 25 and 30.

6 in. 0.60 fence bears E. and W.

on the N. 0.00 Get a faced stone 14x14, 8 in.
X 12 in. deep markd 2 notches
on the south and 4 notches on
the north edges for corner to
sections 19, 30, 24 and 25.(Plan which Jacob Loser house
stands W.E. about 6 chain distant)Meadow land with sloughs
Worth part upland soil first
rate. HenceWork on a true line along
the West Boundary of Section
19.-

West Broadway F. & P. R. 26.

| | | | |
|--------|---|--------|-------------|
| Chains | Variation 16°35' E. | Chains | West Bound |
| 39.40 | Richard Coff Vaccut house bears Barkley, about 15 chains distant and a shanty 100 links West. | 8.50 | W. |
| 40.00 | Set a lime stone 15X13X11 in 10 in. deep, marked $\frac{1}{4}$ on the West side with pits 18X12X12 in. for $\frac{1}{4}$ sec. cor. from which John J. Cook's house bears N.30°W about 10 chs. distant, a corral 12x20 W. 15 chs distant, and an old house N. 50° W. 18 chs. distant. | 13.50 | W. |
| 80.00 | Set a lime stone 15X12X8 in. 10 in. deep, marked 3 notches on the south and north edges for corner to sections 18, 19, 13 and 24. From which Mr. Eddie house bears N. 10° W 19 chain distant | 20.00 | Sec beam |
| | South half upland North part meadow. Soil 1 st rate. | 40.00 | Y. |
| | | 8.50 | W. |
| | | 8.50 | W. |
| | | 11.60 | J. |
| | | 80.00 | Y. |

2 E.
36°
e bears
start.
West.
in 10
West
in for
about
about
20
old
start.
8 in.
ches
1700
9.13
Eddie
hain
ot

West Boundary T. 8 S. R. 2 E.

Chain North along the West Boundary of Section 18.

Variation $16^{\circ}36' E.$

- 8.50. Mr Eddie house bears West only about 5.00 chs. distant.
- 13.50 Road bears N.W. and S.E.
- 20.00 Leave meadow and enter upland bearing N.W. and S.E.
- 40.00 Set a flat stone 14X12X4 in. 8 in. deep. marked $\frac{1}{4}$ on the west side with pits 18X12X12 in. for $\frac{1}{4}$ sec. cor. from which Samuel Francis house bears N. $89^{\circ}50' E.$ about 22 chains distant.
- Joseph Bergen frame house S. $86^{\circ} E.$ 21 chs. and 4 posts for frame shantie bear N. $45^{\circ} W.$ about 10 chains distant.
- 41.00 ditch bears W.
- 80.00 Set a lime stone 16X14X4 in. 10 in. deep. marked 4 notches

West Boundary, T. 8 S. R. 2 E.

Plains all the south and I watched on
the north edges, with its pits com-
18X19 X 19 in. (for corner to sec-
tions 7, 18, 19 and 13.

West 13.
Plains in
water
X 1
17.00 R
53.00 R
54.70 T
73.50 L
78.00 G

Land level first rate

North along the West boundary
of Section 7.

Orientation $16^{\circ} 36' E$

20.60. S.W. corner of the corral, 15 ft
East.

21.60 N.W. corner of same corral and
Road bears E. and W. and
Dennis Sullivan house bear N.
2 chains

25.00 Brooks house bear E. about 12 chain
and enter meadow E. and W.

40.00 Set a quartzite stone 18X12"

West Boundary T. 8 S. R. 2 E.

Chain 10. 12 in deep marked 1/4 on the west side with 4 pits each 18X12 X12 in. for 1/4 sec. cut.

47.00 Rushes bear N.E. and S.W.

53.00 Rail island bears N.E. and S.W.

54.70 Log foundation on the line.

73.50 Lake Road bears N.E. and S.W.

78.00 Set a lime stone 16X13X5, in.
10 in. deep. marked N.C and W.C
with 5 notches on the south and 1
notch on the north edge. with 3
pits 18X12 X12 in. on the margin
in of Utah Lake at meander
corner between sections 9 and 12
and witness corner to sections 1, 12, 6
and 7.

South part upland. Soil 1st rank
balance in meadow, rushes
and cane.

September 26th 1878.

BOOK
North Boundary G.S.J.R. 98

Chain From careful examination made I found no corner to sections 5, 32, and 33 nor meander line of the Spanish Fork Indian Reservation, at the intersection with the North Boundary of this town. I therefore proceeded and after diligent search found an old corner to sections 3, 4, 33 and 34 standing which agrees with the description furnished me by the office over.

A Lime stone 14x12x6 in. properly set and marked; from which I run West on a true line, along the North Boundary of Section 4.

Variation 16°36' P.

1.00 Flat slough bear N.W. and S.
14.00 across same slough bearing N.W.
33.00 Slough 50 links wide less 12.00
40.00 Set a lime stone 15x8x6 in.

North Boundary, T. 8 S. R. 2 E.

| | | |
|-------|--------|--|
| 50 | Chains | 10 in deep, marked $\frac{1}{4}$ on the north side with 4 pits each 18X12X12 in for $\frac{1}{4}$ section corner. Old corner not found. |
| 40.50 | | Rust bears NW and SE. |
| 74.50 | | fence bears NE and SW |
| 79.80 | | fence bear N. W. and S. E.; corner Aiken's yard. |
| 80.00 | | Set a Conglomerate sand stone 15X10X6 in. 10 in deep, marked 4 notches on the east and 2 notches on the west edges; with 4 pits each 94X12X12 in. for corner to sections 4. 5. 32 and 33. |
| | | East part low land mixed with alkali and sloughs. West part Soil first rate. |

149

North Boundary T. 8 S. R. 2 E.

| Chain. | West on a true line along the North Boundary of Sec. 5. | Mile |
|--------|--|-------|
| | Variation $16^{\circ}36' E$ | Chain |
| 0.80 | S.E. corner of Aikin's house bears North 8 links distant | |
| 2.00 | Spanish Fork River 75 links wide runs N. W. | |
| 4.22 | Set a lime stone $15 \times 13 \times 4$ in. 10 in. deep, marked R. L. M. C. on the north side with 3 pits $18 \times 12 \times 12$ in. for Meander Corner of the Spanish Fork Indian Reserv- ation. Old corner not found | |
| 6.50 | meadow bear N. and S. W. | |
| 24.50 | Bushes bear N. E. and S. W. | |
| 40.00 | Set a sand stone $12 \times 10 \times 5$ in. 8 in. deep, marked $\frac{1}{4}$ on the north side, with 4 pits each $24 \times 12 \times 12$ in. for $\frac{1}{4}$ sec. cor. 45.34 Set a sand stone $14 \times 8 \times 6$ in. | |

BOOK-A-167

North Boundary T. 8 S. R. 2 E. ¹⁵⁰

Chain 8 in. deep. marked N.C mill
3 pits 18x12x12 in. for meander
corner on the margin of Utah
Lake between sections 5 and 32.

Meadow and Rushes land.

West end Soil first rate

September 26d 1878.

Joseph Gorlinski
Deputy Surveyor.

181

BOOK-A-167

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, March 5th 1879.

The foregoing field notes of the survey of
West and North Boundaries of
Township No. 8 South Range No. 2 East
of the Salt Lake Meridian, Utah Ty —
Executed by Joseph Goolcinski
Under his contract of the 11th &
day of August 1878, in the month of
September 1878, having been critically
examined, the necessary corrections and ex-
planations made, the said field notes, and the
surveys they describe, are hereby approved.

J. G. Gallo

Surveyor General for Utah.

CH. BOOK 167
R 1879. BOOK-A-167

152
N. A.

Filed November 11th 1878, N. M.
Examined by C. H. Bradwell
Mr. E. Salomon and J. Gorlinski

(167)

Field Notes
of the Subdivision lines
of the Spanish Fork Indian
Reservation in Township N°8
South, Range N°1 East of the
Salt Lake Meridian, in the
Territory of Utah, by Joseph
Gorlinski Deputy Surveyor
under his contract and bond
N°85 bearing date August
11th 1878.


Survey commenced Oct. 3rd 1878
Survey completed Oct. 10th 1878.
167

BOOK-A-167

Township 8 South R. 1. East.

| | | | | | | | |
|----|----|----|----|-----|-----|-----|----|
| 6 | 5 | 4 | 3 | 172 | 2 | 173 | 1 |
| | | | | 171 | 171 | | |
| 7 | 8 | 9 | 10 | 170 | 11 | 159 | 12 |
| | | | | 169 | 168 | 158 | |
| 18 | 17 | 16 | 15 | 167 | 14 | 159 | 13 |
| | | | | 166 | 165 | 156 | |
| 19 | 20 | 21 | 22 | 164 | 23 | 155 | 24 |
| | | | | 163 | 162 | 153 | |
| 30 | 29 | 28 | 27 | 161 | 26 | 153 | 25 |
| | | | | | | | |
| 31 | 32 | 33 | 34 | 35 | 36 | | |
| | | | | | | | |

BOOK-A-167



"Spanish Ford Reservation -

BOOK-A-167

Subdivision J. & J. R. 1st S.

Stones from the established old corner
between Sections 25 and 26 on
the South Boundary of the Spanish
Lake Indian Reservation, Iowa,
North between sections 25 and 26.

Variation $16^{\circ}36' E$.

10.20 Set a lime stone 18x15x8 in. 12
in. deep. marked 2 notches on the
south and 1 notch on the east
edges with 4 pits each 24x12
x12 in. for corner to sections
23, 24, 25 and 26.

Meadow Land Soil Plate.

East on a random line,
between sections 24 and 25

Variation $16^{\circ}36' E$.

10.50 Joshua Lane's house, 2.0 links north.

| | Subdivision S. 8 T. P. R. 18. to Brainerd. This corral 50 links square, in adobe yard 250 links N. | BOOK MATERIAL Brainerd |
|-------|--|------------------------------|
| 40.00 | Set a stone for temporary fence. | |
| 41.00 | Peyson's slough 200 chains wide kears N. | |
| 67.70 | A corral 170 links wide on the line | |
| 71.00 | Isaac Loosier house 100 links N. of line. | 25.00 |
| 80.00 | Intersected the East Boundary of the Township 20 links N. of corner to sections 24, 25, 19 and 30; from which corner I run, | 100.00 |
| | N. $89^{\circ} 51' W.$ on a true line between sections 24 and 25. | 43.00 |
| | Variation $16^{\circ} 36' E.$ | 68.00 |
| 40.00 | Get a lime stone 16X10X6 in. 10 in. deep, marked $\frac{1}{4}$ in. on the north side, with 4 pits each 20X12X12 in. for $\frac{1}{4}$ acre cor- | 72.00 |
| 80.00 | The corner to sections 23, 24, 25, and 26 | 80.00 |

BOOK A-167

Division T. 8 S. R. 16.

155

Chain Meadow land. Till late.

North between sections
23 and 24.

Variation $16^{\circ}36' E.$

25.00 Payson slough 100 links wide bears
NW and S.E. and enter bull rushes

40.00 Set a quartzite rock 16X8X8 in. 10
in. deep marked 1/4 on the west
side with 4 pits each 2 1/4 X 1 1/2 in.
for 1/4 sec cor.

43.00 Payson slough 100 links wide bears
NW and S.E. enter meadow

68.00 Slab Shanty bear West of chains

72.00 leave meadow E. and NW.

80.00 Set a limestone 16X10X5 in. 10 in
deep marked 3 notches on the south
and 1 notch on the east edges with
4 pits each 2 1/4 X 1 1/2 in. for corner

Subdivision T. & S. P. R. & C.

Subdi-

| | | |
|----|---|---|
| 10 | Prairie to sections 13, 14, 23 and 24; from which open roof shanties bears N. 60° W. 10.00 chs. 1/4 cedar and bull rushes Low land; soil 1 st rate | Chains 39.88 10 81 79.76. 0 |
| 2 | East on a random line between sections 13 and 24. | |

Variation 16° 36' E

- 15.50 Vacant cabin 5.00 chs south
 27.50 Log house bears N. 27° W. 12. chs.
 31.70 Road bears N.E. and S.W. and cuts meadow.

40.00 Set a stone for temporary $\frac{1}{4}$ sec. on

79.76. Intersected the East Boundary of 3.50 of the township, 16 links N. of corner 7.00. to sections 13, 24, 18 and 19; from 40.00 which corner I run.

N. 89° 53' W. on a true line.
between sections 13 and 24.

Subdivision of T. & R.R. Co. 1/157

24 fm. chains

Var. $16^{\circ}36'$ East.

39.88 Set a lime stone $13 \times 8 \times 8$ in. 9
in. deep. marked $\frac{1}{4}$ on the north
side, with 14 pits each $18 \times 12 \times 12$ in.
for $\frac{1}{4}$ sec. cor.

79.76. Tie corner to sections 13, 14, 23 and 24.

Land level 1st rate. - East half
meadow.

North, between sections
13 and 14.

Variation $16^{\circ}36'E.$

3.50 Meadow N.E. and S.W.

7.00. Pond E. and W.

14 fm. 40.00. Set a quartzite rock $20 \times 16 \times 5$ in.
12 in. deep. marked $\frac{1}{4}$ on the west
side, with 14 pits each $24 \times 12 \times 12$ in.
for $\frac{1}{4}$ sec. cor.

Subdivision T. 8 S. R. 1^E

Bhains

80.00 Set a quartzite rock 20x12x10
in. 12 in. deep. marked 4 notch
on the south and 1 notch on
the east edges, with 4 feet each
24x12x12 in. for corner to section
11. 12. 13 and 14.

Subdivi

Bhains

39.71

79.42

Lake Meadow Land -
Soil first rate.

East on a random line
between sections 12 and 13.

Variation 16° 36' E.

40.00 Set a stone for temporary corner.
59.00 Leave meadow N.E. and S. park
a Varant Shanty bears 10.50 N.W. 12

Bhains.

24.25

79.42 Intersected the first boundary
of the Township 35 links North 40.00

33.50

40.00

Subdivision. T. 8 S. R. 1 E.
1/12 X 100' Chain from corner to sections 12, 13, 7
and 18; from which corner draw.

$N. 89^{\circ} 45' W$ on a true line
between sections 12 and 13.

39.71 Set a granite rock 20X16X4 in.
12 in. deep, marked $\frac{1}{4}$ on the
north side with 4 pits each
 $2 \frac{1}{4} \times 12 \times 12$ in. for $\frac{1}{4}$ sec. cor.

39.42 The corner to sections 11, 12, 13
and 14. -

Level first rate land and meadow.

North between sections
11 and 12

Variation $16^{\circ} 36' E.$

24.25 Road E. and W.

33.50 Bushes E. and W.

40.00 Set a granite rock 15X12X5 in. 10 in.

~~160~~
Subdivision T. S. R. C.

Chain deep, marked $\frac{1}{4}$ on the west side, with 4 posts each $20 \times 12 \times 12$ in for $\frac{1}{4}$ sec. cor.

42.00 Game island bears E. and W.

47.25 Corral 10 links West.

49.25 Road bears N.W. and S.W. from which a Cabin bears E. about 20.00 chs distant.

52.00 Set a sand stone $14 \times 12 \times 6$ in
9 in. deep, marked M. C. on the west side. for Moander corner between fractional sections 11 and 12. with 3 posts, each $20 \times 12 \times 12$ in. on the south margin of the Utah Lake.

Level low land, Meadow bullrushes and cane. Soil first rate

December 3^d 1878

Subdivision T. & S. R. 1^E

Chain

From the old established corner between sections 26 and 27 on the south boundary of the Spanish Fork Indian Reservation I run.

North between sections.

26 and 27.

Variation $16^{\circ}36' E.$

10.00 Set a lime stone 24 X 18 X 6 in.
18 in. deep marked 2 notches on
the south and 2 notches on the
east edges with 4 pits each
24 X 12 X 12 in. for corner to
sections 22, 23, 26 and 27.

Foothill land - Soil
3% rate with sage brush
and grass

162

Subdivision T. & S. R. 18.

| | | | |
|----|--------|---|-----|
| 66 | Chain | East on a random line, between sections 23 and 26. Variation $16^{\circ}36'W$. | Ch. |
| 67 | 40.00 | Set a stone for temporary sec cor. | |
| 68 | 41.00 | Cross N.W. and S.E. from foothills and outer meadow. | |
| 69 | 47.00 | Small patch of plowed ground 3.00 chs wide. | |
| 70 | 79.60 | Intersected the N. and S. line 18 links South from corner to sections 23, 24, 25 and 26; for which corner I run $S.89^{\circ}57'W$ on a true line, between sections 23 and 26. | 1-3 |
| 71 | 39.80 | Set a limestone $16 \times 14 \times 13$; 10 in. deep, marked $\frac{1}{4}$ on the north side, with 4 pits each $24 \times 12 \times 12$ in. for $\frac{1}{4}$ sec. cor. | |
| 72 | 79.100 | The corner to sections 22, 23, 26 and 27. | |

Subdivision T. 8 S.R. 16¹⁶⁰³

Chain West half foot hill land,
Soil 3^d rate. - East half
level and meadow. Soil
first rate.

West on a true line,
between sections 22 and 27.

Variation 16° 36' E.

1.98 Intercepted the West boundary
of the Spanish Fork Indian
Reservation, N. 0° 13' E. 10.00 rods
from the S.W. corner of said
Reservation. - where I set a line
about 18 X 10 X 10 in. ^{amount of stone} 12 in. deep, marked
R.L.C.C. as Connection Corner bet-
ween sections 22 and 27 on the West
boundary of the Spanish Fork Indian
Reservation.

Ridge land. Soil 3^d rate.

Off
Subdivision T. 8 S. R. 1 C.

| Chains | North between sections 22 and 23. | Ch. |
|--------|---|------|
| | Variation 16° 36' E. | |
| 27.00 | Point of small ridge bearing West | 23. |
| 32.00 | Gully 20 links wide N.W. and S.E. | |
| 35.00 | Gully 30 links wide N.E. and S.W. | 3. |
| 40.00 | Set a sand stone 12 X 10 X 5 in 8 in. deep. marked 1/4 on the west side, with 4 pits each | 40. |
| | 20 X 12 X 12 in. for 4 1/4 sec. cor. | 50. |
| 59.00 | Small gully N.W. and S.E. | 79. |
| 65.50 | Trail N.E. and S.W. | |
| 80.00 | Set a red sand stone 14 X 10 X 5 in. 9 in. deep. marked 3 notches on the south and 2 notches on the east edges with 4 pits each 24 X 12 X 12 in | 39. |
| | for corner to sections 14, 23 15 and 22. | |
| | Ridge and foothill land Soil 3 ^d rate - | 79.0 |

BOOK-A-167

Subdivision T. & S. R. I. Co.

| | |
|--------------|---|
| <i>Blair</i> | East on a random line between sections 14 and 23. Variation $16^{\circ}36' E.$ |
| <i>E.</i> | |
| <i>West</i> | 23.50 Road bears N.W. and S.E. and leave foot hills. |
| <i>SW.</i> | 33.00 Road bears N. and S. and enter meadow |
| <i>in</i> | 40.00 Set a stone for temporary $\frac{1}{4}$ sec. cor. |
| <i>te</i> | 56.50 Payson slough 100 links wide bears N.W. and S.E. |
| <i>C.</i> | 75.00 leave meadow W.E. and S.W. |
| <i>S.</i> | 79.62 Intersected the N. and S. line 79 links south south from corner to sections 13, 14, 23 and 24; from which corner I run: |
| <i>E.</i> | $8.89^{\circ}26' W.$ on a true line between sections 14 and 23 |
| <i>SW.</i> | 39.81. Set a sand stone $18 \times 14 \times 4$ in. 12 in. deep marked $\frac{1}{4}$ on the north side with 4 pits each $24 \times 12 \times 12$ in. for $\frac{1}{4}$ sec. cor. |
| <i>S.</i> | 79.62 The corner to sections 14, 15, 22, & 23 |

Yule
Subdivision T. 8 S. R. 1 E.

Chains West end foothills. Soil 3rd
rate, balance level and meadow
land. Soil first rate. -

West on a true line
between sections 15 and 22
Variation 16° 36' 8"

168. Intercepted the West boundary
of the Spanish fork Indian
Reservation, N. 0° 13' E. 80.00
chains from corner on said boundary
between sections 22 and 27. 11.00
where I set a quarter mile rock 16 X 19
in. 10 in. deep in mound of stone 39.7.
marked R. I. C. C. as corner between 40.0.
corner between sections 15 and
22 on the West boundary of
the Spanish Fork Indian
Reservation, from which 73.0.

Subdivision T. & S. R. 167

chains.
 corner S. 0° 13' W. 40.00 chains
 I set a lime stone 14x12x5 in. 9
 in. deep in mound of stone marked
 $\frac{1}{4}$ C.C. as $\frac{1}{4}$ sec. connection corner
 on the west boundary of the Reserva-
 tion in fractional section 22.

Ridge land soil 3" rate.

North between sections 14 and 15
 Variation 16° 36' E.

11.00 Ben Argyle house and Springs bear
 East about 22.00 chs.

39.75 Greenoan's adobe house East. 2000 chs.
 140.00 At a sand stone 15x12x8 in. 10
 in. deep, marked $\frac{1}{4}$ on the west side
 with 4 pits each 18x12x12 in. and mound
 of stone for $\frac{1}{4}$ sec. cor.

11.00 H. Greenoan's house about 6.00. 15

168
Subdivision T. 8 S. R. 1 C.

| Chains | chains east. | Chains |
|--------|--|--------------------------|
| 80.00 | Set a limestone 17x8x6 in. 10 in. deep, in mound of stone marker 4 patches on the south and 2 north, on the east edges far corner to sections 10, 11, 14 and 15. | 57. 65. 80. 80. |

Foothill land. Soil 3rd stage - 40.

East on a random line, between sections 11 and 14.

Variation 16' 36"

3.50 Road from N. and S. and leave foothills.

4.50 Lorenson's house about 3 chs. I. 3. and enter meadow N. and S.

40.00 Set a stone for temporary fence corner.

46.00 Slough 100 links wide beam 100.

47.50 Halfway between houses beam

Subdivision T.S.G.R. 167

167

| | |
|-------|--|
| Chain | South 3 1/2 hr. distant |
| in. | 57.00 Slough 30 links wide N.E. and S.W. |
| feet | 65.00 A house 250 links N. and road N. and S. |
| other | 80.00 Intersected the N. and S. line 78 links S. with from corner to sections 11, 12, 13 and 14 from which corner I run, $\text{S} 89^{\circ} 26' \text{W}$ in a true line between sections 11 and 14. <small>Var 16° 36' E.</small> |
| le- | 40.00 Set a lime stone 10X15X8 in. 10 in. deep mark ad $\frac{1}{4}$ on the north side with H pits east 24X 12X12 in. for $\frac{1}{4}$ sec. cor. |
| green | 80.00 The corner to sections 10, 11, 14 and 15 Mind your land - Still $\frac{1}{4}$ mile - West end foothills |
| 368 | |
| more | West on a true line between sections 10 and 15. Variation 16° 36' E. |
| I. | 1.38 Intersected the West boundary of the Span ish Fork Indian Reservation, N. D. 13 E. 80. c. ds., from corner between fractional sections 1 15 and 22 on said boundary, where I set a 15 land stone 20X10X5 in. 12 in. deep in mud |

170 Subdivision T.8 S. R.1 C

Chains of stone marked R. I. O. C. from
northern corner between fractional sections
10 and 15 on the West boundary of the Recre-
ation, from which corner S. 0° 13' W. 40
chks. 10x10 sand stone 18N 8X4 in. 12 in.
deep in mound of stone, marked $\frac{1}{4}$ sec. C.C.
for $\frac{1}{4}$ sec. connection corner on the
West boundary of the Reservation in
fractional section 15.

Ridge land, Soil 3rd rank -

8.

15.

North between sections 10 and 11

Variation 16° 36' E ~

18.75 Jacob Storker sand house 20 chks. Good
40.00 Get a sand stone 14X9X9 in. 10 in
deep in mound of stone, marked $\frac{1}{4}$
the west side for $\frac{1}{4}$ sec. cor.

52.50 Ice house 12.50 chks. east.

68.00 Point of small ridge bearing S. W.

80.00 Get a lime stone 16X8X5 in. 10 in. deep

Subdivision T. S. S. R. I. E. 171

Claims - marked 5 notches on the south and 2 notches on the east edges for corner to see
Claims 2, 3, 10 and 11.

Ridge land Soil 3rd rate -

East on a true line between sections
2 and 11. - Varietia 16°36' E.

8.50 From NW. and SE. and bear foothills.
15.65 Set a Boulder stone 16X12X6 in 10 in deep
in ground of stone marked M.C. for Member
corner between fractional sections 2 and 11
on the southern shore of Elk Lake
Foothill land, Soil 2nd rate.

West on a true line, between sections
3 and 10. Varietia 16°36' E.

1.08 Intersected the West boundary of the Spanish
Fork Indian Reservation N. 0°13' 80 ch.
from corner between fractional section 10 and 15

172
Variation T. S. S. R. I. E.

Obscno: on said boundary, where I set a
sandstone 15X12X10 in. 10 in deep.
marked R. I. C. C. for corner corner
on the West boundary of said Propri-
etary between fractional sections 3 and 10
Foothill land. Soil 3^d rate.

North between sections 2 and 3.

Variation 16°36' E

9.55 Road bears N.W. and S.E. long both hills
14.00 Set a limestone 20X11X6 in. 12 in deep.
marked M.C. with 3 pits each 20X12X12 in.
for Misunder corner between fractional
sections 2 and 3. on the Shrubbery
shore of Utah Lake; from which
a hot spring boiling in the Lake bears
N.E. about 150 links distant.

Foothill land. Soil 2^d
and 3^d rate:-

Subdivision T.S.J.R. 1/83

Chains

Meanders along the
Southern Shore of Utah Lake.

Begin at the NW corner of
the Spanish Fork Indian Reser-
vation in fractional Section 3.
on the Southern Shore of Utah Lake
shore run along the Southern
Shore of said Utah Lake
in fractional Sec. 3.

Variation 16°36'0"

S. 36° E. 1.82 Chains to
Meander corner between fractional
sections 2 and 3; then
in Section 2.

S. 58° 42' E. 16.03 Chains.

S. 19° E. 6.00 Chains.

To Meander corner between
fractional sections 2 and 11.
then,

in Section 11.

S. 12° E. 30.70 Chains.

Subdivision T. 8 S. R. 1 E.

N. 80° E. 15.00 Chains

S. 48° E. 9.00 "

N. $81^{\circ} 30'$ E. 36.90 Chains

to Meander corner between
fractional sections 11 and
12; thence

in Section 12-

N. 76° E. 20.00 Chains

N. 70° E. 35.00 Chains

N. $71^{\circ} 39'$ E. 29.19 Chains

to Meander corner between
fractional sections 7 and
12 on the East Boundary
of the Township and Southern
Shore of Utah Lake prev-
iously established

October 4th 1878

General Description

This fractional survey of the Township is entirely in the Spanish Fork Indian Reservation as formerly established. A small portion of this land along the Western boundary of the Reservation is in foothills, balance of land through the township is level prairie and principally meadow. All northern portion along Utah Lake is covered with bull rushes and cane. Several springs are found along the foothills. Most of land in this township is already settled. No minerals found.

Jos. Gorlinski
Deputy Surveyor

BOOK-A-167

U. S. SURVEYOR GENERAL'S OFFICE.

Salt Lake City, Utah, March 5th 1879

The foregoing field notes of the survey of the
Subdivision Lines of the Spanish Fork Indian
Reservation

Township No. 8 South Range No. 1 East
of the Salt Lake Meridian - Utah Territory

Executed by Joseph Gorham Jr.

Under his contract of the 14th

day of August 1878, in the month of

October 1878, having been critically

examined, the necessary corrections and ex-

planations made, the said field notes, and the

surveys they describe, are hereby approved.

F. D. Galusha

Surveyor General for Utah.

R. 1879 BOOK-A-167

updated by Otto Salomon and J. A. Gorlinski
Examined by H. A. Gorlinski 11/3/91.
Filed November 11-18th 1878, U.S.M.

178

Field Notes,

of the resurvey of the
Exterior Boundaries,
of the
Spanish Fork, Indian Reservation -

iii

Township 8, South, Range 1 and 2 East
of the Salt Lake Meridian -
in Utah Territory -

by

Joseph Gorlinski, U.S. Deputy Surveyor,
under his Contract No 85.

Dated August 11th 1878.

Survey commenced September 23^d 1878,
Survey completed September 25^d 1878.

178

FOR CHAINMAN.

We, Adolphus Jesse and Willidore Mathews do solemnly swear that we will faithfully execute the duties of chain carriers; that we will level the chain upon uneven ground, and set the tally pins, whether by sticking or dropping the same; that we will report the true dimensions to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Adolphus Jesse
Willidore Mathews
Chainman

Subscribed and sworn to before me
23^d day of September 18

Joseph Gorham

Adolphus Surveyor

N.

I, Robert Gorlinski
do solemnly swear that I will well and truly
perform the duties of flagman, according to the
instructions given me and to the best of my
skill and ability.

Robert Gorlinski.

Flagman.

Subscribed and sworn to before me this
23^d day of September 1878.

Joseph Gorlinski
Deputy Surveyor

FOR AXEMAN.

I, John Malcolm
do solemnly swear that I will well and truly
perform the duties of axeman, according to
instructions given me and to the best of
skill and ability.

John Malcolm

Axeman

Subscribed and sworn to before me
23^d day of September 1876

Joseph Gorlinski
deputy surveyor.

South Boundary of the Spanish Fork
Indian Reservation 1 of 1

Chains Begin at the charred post in mound of stone the established corner of Lot M^o 15 or the South West corner of the Reservation. The post is standing and agrees with the description furnished me in the office, viz;

A charred post in mound of stone and earth, marked with 15 notches on the east side.

Then

East on a random line along the Southern Boundary of the Reservation

Variation 16° 36' East

Set temporary stakes at every 20 and 40 chains and at 1 mile, 79 chains and 68 links to a point 10 links North of an old pine post marked $\frac{1}{2}$ of Lot M^o 82. Therefore the correction will be 4 links less to each 20 chains and 2 minutes South per mile.

187 South Boundary of the Reservation

Chains

thence continued

Chains

East in a random line along 27
the South Boundary of the Reservation 29.

Variation 16° 36' East 31.

I set temporary stakes at every 33.
20 and 40 chains, and at 5 more
18 chains and 53 links to a point 39.
200 links south of the South East
corner of the Reservation in mass
of stone and earth; therefore come
will be 7 links less West per 20
20 chains, and 40 links north
per mile.

thence I run

South 80° 43' West up a line 51.
along ~~the~~^{the} ~~south~~^{east} boundary 53.
line of the Reservation ~~etc.~~ 55.

Variation 16° 36' East 59.

13.28 no corner found between Sec. 25 60.

14.55 Stone marked X 60.

15.50 Road bears S 80° E and N. W. 60.

19.93 Reservation corner on the South 60.

South Boundary of the Reservation

| | | |
|--|--------|---|
| | Chains | Boundary of Lot N ^o 1 marked $\frac{1}{2}$ |
| | 27.50 | Road bears S.E. |
| | 29.00 | Fence 10 links south of line, bears S.E. and W. |
| | 31.50 | A house bears South 41 chs. distant |
| | 33.50 | A corral and stock yard 120 links wide 10 links south of the line |
| | 39.86 | S.W. corner of Lot N ^o 1 of the Reservation in mound with old post. Land rolling 2 nd rate. - thence South 89° 44' 3" West on a true line along the South boundary of the Reservation lot N ^o 2 |
| | | Variation 16° 36' East |
| | 5.70 | ditch bears N. W. |
| | 10.60 | Sorghum Mill bears North 2 chs. distance |
| | 14.90 | Road bears South. |
| | 19.93 | Reservation stake on South boundary of Lot N ^o 2 marked $\frac{1}{2}$ |
| | 25.60 | Ditch bears South and East - |
| | 28.90 | Road bears S. W. |
| | 31.70 | Road bears N. and S. |

184

South Boundary of the Reservation

| Chains | | Distance |
|--------|---|----------|
| 32.20 | descend low Bluff bearing N. w. | 18 |
| 33.20 | fence 10 links north of the line bears E and W and N. | 19 |
| 37.70 | ditch bears South. | 19 |
| 39.86 | Point to S.W. corner of Reserve Lot No. 2. in a mound | 30 |
| | Rolling land. Soil first rate covered with grasswood - | 31 |

89° 43' W on a true line along
the South Boundary of Reserve
Lot No. 3.

Variation 16° 36'

| | | |
|-------|---|----|
| 1.70 | Fence corner 10 links N. bears E and East. | 16 |
| 1.80 | Ditch bears S. true West in a ditch | 16 |
| 13.70 | Fence no. corner between Sections 26 and 27. | 16 |
| 15.20 | ditch bears South. | 16 |
| 16.02 | Lime stone marked X lying loose 10 links North | 16 |

South Boundary of the Reservation

- 1740 Joseph E. Beck house bears North about 11.00 chains distant.
- 18.15 Road bears N. and S.
- 19.93 Point in the middle of South boundary of Reservation Lot M^c. 3 in a ditch bearing E & W.
- 35.14 ditch bears South
- 39.86 Point to S.W. corner of Reservation Lot M^c. 3 in deep ditch bearing E. and W.
- First rate level land, cut up with deep ditches.
- there
 $89^{\circ}43'W$ on a true line, along the South boundary of Reservation Lot M^c. 4

Variation $16^{\circ}36'E$.

- 9.10 ditch bears South
- 16.50 William Kramer's house bears N.E. about 200 links distant, and remains of old house 25 links South.

186

South Boundary of the Reservation

Chain

19.40

ditch bears South

19.93

Point in the middle of the South
Boundary of Reservation Lot
N^o. 4 in ditch bearing E-W

38.92

ditch bears SW. and NE.

39.42

Utah Southern Railroad, from

N. $40^{\circ} E$ and S. $40^{\circ} W$. 5 Links
south of the bridge, from which point
Charles Dimicks cabin bearing $45^{\circ} E$ to
William Carter house, N. 33° W. 12 ch.

d^c d^c do N. $15^{\circ} E$ 10 ch. 33.

Robert Carter d^c N. $2^{\circ} W$. 4 ch. 34.

Wm. Harding d^c N. $63^{\circ} W$. 6 ch. 34.

39.86

Point to S.W. corner of Reservation
Lot N^o. 4 along the ditch bearing
E. and W.

Fertile level land, cut up
with deep ditches.

then

S. $89^{\circ} 43' W$ on a true line
South boundary of the Reservation

South Boundary of the Reservation:

Chain Lot N° 5

Variation $16^{\circ}36' East$

6.00 A house about 250 links N. of the line

13.84 Found no corner between Sect 27 and 28.

16.66 Said to be point of old corner to Section
27 and 28, but find no indications.

18.00 Joseph Chatwin house 8 chs. North

19.93 Point in the middle of the South
Boundary of Reservation Lot N° 5.
along deep ditch bearing E - W.

33.10 Tho' Matley house 100 links South

34.10 Tho' Matley Shantie B.C. 2 chs North

34.60 Corral 5 links south of the line

39.86 Point to S.W. corner of the Reser-
vation Lot N° 5 along deep ditch
bearing E. and W.First rate level land with
greenwood

there

 $189^{\circ}43' W$ on a true line
along the South boundary of the

188

South boundary of the Reservation

Chain Reservation Lot N^o. 6.

Variation 16° 36' East

2. 15 Corner fence 10 links N. of line fence
bears S. and E.

19. 93 Point in the middle of the South
Boundary of the Reservation Lot
N^o. 6 along deep ditch bearing
E. and W.

22. 95 Fence bears S. and W.

32. 95 Benjamin ditch bears S.

39. 86 A Point at the SW corner of
Reservation Lot N^o. 6. along
deep ditch.

First rate level land, overgrown
by greenwood brush--

thence

S. 89° 43' W on a true line
along the South Boundary of the
Reservation Lot N^o. 7.

Variation 16° 36' East

6. 60 ditch bears S.

South Boundary of the Reservation

- Chain
14.06 Found no corner between Sec 28 and 29.
15.30 Corner of fence bearing S. and E. 15 links
north of line.
16.15 center of Benjamin Road bears N.W. & S.E.
17.05 Point 12 links South of old stone not
marked, said to be corner to sections
28 and 29, but find no proof.
19.93 A point in the middle of the South
Boundary of Lot No. 7.
37.34 A Post marked in pencil as the "S.E."
corner of F. McStewart 196 rods N - 160
on the fraction.
39.86 A Point at the S.W. corner of the
Reservation Lot No. 7
First rate level land overgrown
by greenwood brush.

theme

$S\ 89^{\circ}43'W$ on a true line
along the South Boundary of the
Reservation Lot No. 8

Variation $16^{\circ}36'E.$

190

South Boundary of the Reservation

| Chains | Description | Blanks |
|--------|---|--------|
| 15.98 | A Post marked "F H Stewart 100 cor" 20 links north of the line. | 27.9, |
| 19.93 | A Point in the middle of the South Boundary of Lot M ^o 8 | 39.8. |
| 39.86 | A Point at the S.W. Corner of the Reservation Lot M ^o 8. First rate level land under greasewood | |
| | theme | |
| | G 89° 43' W on a true line along the South Boundary of the Reservation Lot M ^o 9. | |
| | Variation 16° 36' C | 7.1 |
| 0.07 | A post marked "F H Stewart 100 rods East and P J Stewart 24 rods W - 86 rods N on fraction". | 19.4 |
| 14.40 | found no corner but see 29 and 30 | 19.3 |
| 18.62 | A point 20 links South of old stone not marked nor fence bears S and W. | |
| 19.93 | A point in the middle of the | |

South Boundary of the Reservation

Shows South Boundary of Lot N^o 9.

37.27 A point 85 links N of Old limestone
and post not marked.—

39.86 A point at the SW corner of the
Reservation Lot N^o 9.—

Frost-rate level land, with grass
and greasewood.—

thence

S. 89° 43' W on a true line along
the ~~the~~ South Boundary of the
Reservation Lot N^o 10.

Variation 16° 36' E.

7.41 A point 87 links N of Old Sand stone
not marked

19.93 A point in the middle of the South
Boundary of Reservation Lot N^o 10

39.86 A point at the SW corner of the
Reservation Lot N^o 10

Frost-rate level land with
grass and greasewood.—

thence

192

South Boundary of the Reservation

- | Chains | Description |
|--------|--|
| | $89^{\circ}43'W$ on a true line along the South boundary of the Reservation Lot N ^o . 11. |
| | Variation $16^{\circ}30'$ |
| 9.60 | South 20 links of NW ^{1/4} corner of fence bearing S and E. |
| 14.66 | found no corner on township line between sections 25 and 30. |
| 19.28 | To Point 90 links North of red m ^b stone not marked |
| 19.93 | To an old post marked "P" on the South boundary of Lot N ^o . 11 there |
| | $89^{\circ}88'W$ on a true line along the West half of the South Boundary of the Reservation to N ^o . 11. |
| | Variation $16^{\circ}30'$ |
| 1.60 | Old road bears NNW and S E ^{1/2} Enter meadow land. |
| 19.96 | To a post in meadow at the |

BOOK-A-167

1903

South Boundary of the Reservation

corner of the Reservation Lot N^o 11.

First rate level land. West half
in meadow.

thence
N. 89° 88' W. in a true line, along
the South Boundary of the Reservation
Lot N^o 12.

Variation 16° 36' E.

600 Poyson Slough 50 links wide bears
no roads J.C.

19.96 A point at an old mound in the
middle of the South Boundary of
Lot N^o 12.

19.92 A point at the S.W. corner of the
Reservation Lot N^o 12.

Level meadow land and
some greasenard.

thence

N. 89° 88' W. in a true line
along the South Boundary of the
Reservation Lot N^o 13.

1911

South Boundary of the Reservation

| Chains | Variation 16° 36' E | Date |
|--------|---|-----------|
| 16.50 | Mrs Flauders shed 90 links of the line | 19.11.19. |
| 17.25 | Ferron's corner between Sec 25 and 26 on Reservation line in T 8 S R 1 E in stock yard | 39.11.19. |
| 19.96 | A point in the middle of the South Boundary of Lot N° 13 | |
| 39.92 | A point at the SW corner of the South Boundary of the Reservation Lot N° 13 | |
| | First level land partly ^{late} in meadow partly in grass then | 18.11.19. |
| X | N. 89° 8' W on a tree line along the South Boundary of the Reservation Lot N° 13 | |
| | Variation 16° 36' | |
| 2.50 | Road beam NE and SW | |
| 8.00 | foot of bench and hills beam NW | |
| 13.25 | Road on side hills beam NE and | |

South Boundary of the Reservation

Drawn
1996

To an old mound in the middle
of the South Boundary of the
Reservation Lot No 14.

39.92 To a post in mound at the S.W.
corner of the Reservation Lot No.
14. Footfall land - Soil 3^d rate.

True
N. 89° 18' W. on a true line
along the South Boundary of Lot
No 15.

Variation 16° 36' E.

Foot of round hill bears East W.
The South West old corner of
the Spanish Fork Indian Reserva-
tion near the top of round hill
and at the foot of West Mountain
bearing North only and South only
Ridge land. Soil 3^c rate

Surveyed September 23rd and 24th.

1878.

1906

West Boundary of the Spanish Fork Indian Reservation

U.D.C.

Chains

Fran the re-established Salt
West corner of the Spanish Fork
Indian Reservation

Chain

I run

North on a random line along
the Western boundary of the Reser-
vation

6.0

25.9

Variation 16°36'6"

I set temporary stakes at every
20 and 40 chains and at 3
miles 25 chains and 48 links to
a point 94 links West, from an
old post and mound at the NW
corner of the Reservation, on the SW
side of Utah Lake. - Therefore
the correction will be 4 links
to each 20 chains and 13 mm.
West per each mile.

3.00

19.9

then

0.82

Fran the old N.W. corner of the
Reservation I run.

West Boundary of the Reservation

Chain South $0^{\circ}13'$ West on a true line along the West Boundary of the Reservation Lot N^o. 83.

Variation $16^{\circ}36'E.$

6.00 To an old mound on the West Boundary of the Reservation Lot N^o. 83

25.96 To an old Reservation mound at the South West corner of Lot N^o. 83

Foothill land. Soil 2nd rate

^{these}
S. $0^{\circ}13'$ West on a true line along the West Boundary of the Reservation Lot N^o. 66

Variation $16^{\circ}36'E.$

3.00 Top of ridge bears S.W.

19.96 To an old Reservation mound in the middle of the West boundary of Lot N^o. 66.

0.82 To an old Reservation mound at the South West corner of Lot N^o. 66
Ridge land. Soil 3^d rate

198

West Boundary of the Reservation

Chains

thence

No.

$80^{\circ}13'W$ on a true line
along the West boundary of the
Reservation Lot N^o. 65

Variation $16^{\circ}36'E$

19.96 To an old mound in the middle
of the Western boundary of the
Reservation Lot N^o. 65,

39.92 To an old mound at the corner of the Reservation Lot
N^o. 65

Foothill land. Soil 3rd soil 39.9.

thence

$80^{\circ}13'W$ on a true line along
the Western boundary of the
Reservation Lot N^o. 42

Variation $16^{\circ}36'E$

19.96 To an old mound in the middle
of the Western boundary of the
Reservation Lot N^o. 42.

39.92 To an old mound at the

720

West Boundary of the Reservation

172

Claims S.W. corner of the Reservation
Lot N° 42.

Foothill land, Soil 3^d rate
thence

S. 0° 13' W. on a true line along
the Western boundary of the
Reservation Lot N° 41

Variation 16° 36' East

19.96 To an old mound in the middle
of the Western Boundary of the
Reservation Lot N° 41

19.92 To an old mound at the
S.W. corner of the Reservation
Lot N° 41

Foothill land. Soil 3^d rate
thence

S. 0° 13' W. on a true line
along the Western boundary of
the Reservation Lot N° 16

Variation 16° 36' E.

225 Trail bears N.E. and S.W.

200

West Boundary of the Reservation We

Bhain

9.75

Small gully bears S.E. heads N.W. Bhain

19.96.

To an old Reservation mound in
the middle of the West boundary
of the Reservation Lot No. 16

35.00

A Gully 25 links wide heads N.W.
bears S.E.

39.92

To an old Reservation mound
at the S.W. corner of Lot No. 16
Foot hill land. Soil 3rd

thence

S. 0°18' W. on a true line
along the West Boundary of
the Reservation Lot No. 15.

Variation 16°36'E

3.60

Top of small ridge bears N.W.

19.96

To an old Reservation mound
in the middle of the West boundary
of Lot No. 15

32.00

Foot of road hill bears N.W.
and S.E.

39.92.

The Old South West corner

BOOK-A-167

201 + 202

West Boundary of the Reservation

of the Spanish Fork Indian
Reservation previously re-established.

Ridge and foot hill land
Soil 3d rate.

September 25th 1878.

203

East Boundary of the Reservation

Spain

From the established Old
South East corner of the
Spanish Fork Indian Reserva-
tion I run.

North on a true line along
the East boundary of Lot N° 1

Variation $16^{\circ} 36' \text{ E}$

5.75 Top of steep bluff bears E and W
and enter River bottoms

16.65 Slope in riverbed bottoms bears
NE and SW

20.73 Set a Limestone $15 \times 10 \times 5$ in
thick. 10 inches deep. marked N.
E. L. on the West side, with 3 pieces
 $18 \times 12 \times 12$ inches, for the N.E.
corner of the Reservation near
the South bank of the Spanish
Fork River.

No old corner found
Bottom land first rate, covered
with grass and Willows

South Boundary of the Reservation

South end level - covered with sage brush - Soil 2nd rate

September 25th 1878.

General Description

The quality of land along the South Boundary of the Spanish Fork Indian Reservation, consist of upland level lands of the 1st and 2nd rate quality, with some meadow land on the West end.

The Eastern boundary is mostly in River bottoms - low land. Soil 1st rate. All the Western boundary is in the foothills and partly on the ridge. Soil 3rd rate - and adjoins range of the West Mountains on the West.

Joseph Gorlinski
deputy Surveyor

BOOK-A-167

70

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, March 5th 1879

The foregoing field notes of the survey of the
exterior boundaries of the
Spanish Fork Indian Reservation

in Township No. 8 South Ranges No. 1 and 2 East
of the Salt Lake meridian Utah Ter.

Executed by Joseph Gorlinski

Under contract of the 14th no 85

day of August 1878, in the month of

September 1878, having been critically

examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

J. D. Salt Lake City.

Surveyor General for Utah.

R. 1879. BOOK-A-167

-77-5-

Filed November 11th 1878, 11 P.M.
Examined by C. H. Campbell,
Signed by Otto Salomon and W. N. Corlieski

(A.O.C.)

Field Notes of the
Survey of the Subdivisions
of the Spanish Fork Indian
Reservation in Township
N^o 7 South, Range R^o 2
East of the Salt Lake Meridian
in the Territory of Utah, by
Joseph Corlieski, deputy
surveyor, under his contract
N^o: 85, dated August 14th
1878.

Survey commenced and completed
October 5th 1878.

ofid.

BOOK-A-167

Township 7. South R. 2. East.

| | | | | | |
|----|-------------------------|----|----|----|----|
| 6 | 5 | 4 | 3 | 2 | 1 |
| | | | | | |
| 8 | 9 | 10 | 11 | 12 | |
| | | | | | |
| 18 | 17 | 16 | 15 | 14 | 13 |
| | | | | | |
| 19 | 20 | 21 | 22 | 23 | 24 |
| | | | | | |
| 30 | 29 | 28 | 27 | 26 | 25 |
| | | | | | |
| 31 | measured 200 ft. 207 | | 33 | 34 | 35 |
| | | | | | 36 |

Division T. 7 S. R. 2 E.

Claims

To find and establish the further
 North Easterly corner of the Spanish
 Fork Indian Reservation, as is shown
 by the field notes furnished me by the office.
 I begin at the established corner
 to sections 4, 5, 32 and 33 on the
 South boundary of the Township
 there run
 North on a true line between
 sections 32 and 33.

Variation 16° 36' E

2.50 Meadow C. and W.

25.00 Bullnose C. and W.

33.75 Southern shore of Utah Lake
near N.W. last East.40.00 In a point at the $\frac{1}{4}$ sec. corner
 in Utah Lake, from which
 West in Section 32

45.00 Leave Utah Lake N. 90° and S. E.

47.00 Set a lime stone 13 X 12 X 5 in
 8 in. deep, marked R.M.C.
 with 3 pits each 20 X 12 X 12 in.

308
Subdivision T 7 S. R 2 E. Park.

Chains for Meander corner of the chains
Reservation on the West or
left bank of the Spanish Fork
River - from which corner
I run.

Meanders along the West
and left bank of the Spanish
Fork River down stream
in fractional section 32

Variation 16' 36"

N. 83° W. 22.75 Chains

N. 47° W. 5.10 Chains
the mouth of Spanish Fork
given on the Southern Shore of
Alta Lake - thence
along the Southern Shore
of Alta Lake in fractional
section 32.

S. 29° W. 9.10 Chains

S. 29° E. 19.00 Chains

S. 10° W. 22.00 Chains

Saskatchewan T 7 S.R. 2 E 7

the corner between fractional sections 32 and 5 on the South boundary of the township and Southern shore of Utah Lake previously established.

First rate level Measured out.

October 5th 1878.

General description.

This survey embraces that portion of the Spanish Fork Indian Reservation, which lies at the mouth of Spanish Fork River and South of Utah Lake. Land is excellent and mostly in meadows.

Joseph Gorlinski
Deputy Surveyor

LIST OF NAMES.

*A list of the names of individuals employed
to assist in running, measuring or marking
the lines and corners described in the foregoing
Field Notes of the 1/1000th Survey
and subdivision lines of the*

*Spanish Fork Indian Reservation
Mining claim situated in Township 1st*

Grand St. Hatch Range 11th East

Call Township N. E. Hatch Range 1st East

*of the Lake Valley County, Utah Territory
showing the respective capacities in which they
acted.*

Adolpho Jenson

Chainman.

William Mathews

Chainman.

Robert Gorlinski

Flagman.

John Malcolm

Axeman.

211

BOOK

We hereby certify that we assist

Joseph Gorlinski

United States Deputy Surveyor, in surveying
the exterior boundaries and subdivisions
of the Spanish Fork Indian Reservation,
in Township No 8 South, Range No 1 East,
and Townships No 9 and 10 South, Ranges No 2 and 3 East, either
Mining District

in Utah County, Utah Territory
and that said ~~Surveyor~~ Mining Claim has been in
respect, to the best of our knowledge and belief
well and faithfully surveyed and the boundary
monuments planted according to the instruc-
tions furnished by the Surveyor General.

Adolphe Jester

Chainman

Wm Matthews

Chainman

Robert Gorlinski

Flagman

John Malco

Axeman

Subscribers,

Salt Lake City,
this day of

I, United
solemnly
tract a
Surveyor
United
date the
1878, at
the Uni
struction
the said
Surveyor

and the
Fork Min
Min
No. 1
and Min

Subscribed and sworn to by the above named persons, before me, a Notary Public for the county of Salt Lake, in the Territory of Utah, this 6th day of October 1878.

J. C. Bailes
Notary Public

I, Joseph Gorlinski

United States Deputy ~~Mineral~~ Surveyor, do solemnly swear, that in pursuance of a contract with Frederick Salomon Surveyor General of the public lands of the United States in the Territory of Utah, bearing date the 14th day of August

1878, and in strict conformity to the laws of the United States, the Manual of Surveying Instructions, and the instructions furnished by the said Surveyor General, I have faithfully surveyed the exterior boundaries

and subdivision lines of the Spanish Fork Indian Reservation in Townships

~~Mining Claim~~ in Sections

11th, 7 and 8 South, Range Mid. East.
and Township No. 8 South

~~Mining District~~

Subscribed and sworn to by the above named persons, before me, a Notary Public for the county of Salt Lake, in the Territory of Utah, this 6th day of October 1878.

J. C. Bailes
Notary Public

I, Joseph Gorlinski

United States Deputy ~~Mineral~~ Surveyor, do solemnly swear, that in pursuance of a contract with Frederick Salomon Surveyor General of the public lands of the United States in the Territory of Utah, bearing date the 14th day of August

1878, and in strict conformity to the laws of the United States, the Manual of Surveying Instructions, and the instructions furnished by the said Surveyor General, I have faithfully surveyed the exterior boundaries

and subdivision lines of the Spanish Fork Indian Reservation in Townships

~~Mining Claim~~ in Sections

11th, 7 and 8 South, Range Mid. East.
and Township No. 8 South

~~Mining District~~

214

BOOK

Range No^o 1 County Salt Lake
in the Territory aforesaid, and do further
emnly swear that the foregoing are the
and original Field Notes of such survey.

Joseph Gorliaski

Deputy Mineral Surveyor

U. S. SUR

Salt Lake

The foreg

Subdivision

Township J

of the Salt

Executed by

Under

day of Au

October

examined, t

planations

surveys they

Subscribed by the said Joseph
Gorliaski United States De
Mineral Surveyor, and sworn to before me

Notary Public

for the county of Salt Lake, in

Territory of Utah, this 14th day

November 1878.

J. C. Bailey
Notary Public

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, March 5th 1879.

The foregoing field notes of the survey of

Subdivisions of the Spanish Fork Indian Reservation

Township No. 7. South Range No. 2. East
of the Salt Lake Meridian, Utah Territory

Executed by Joseph Gonciarz

Under his contract of the 11th

day of August 1878, in the month of

October 1878, having been critically

examined, the necessary corrections and ex-

planations made, the said field notes, and the

surveys they describe, are hereby approved.

F. G. Salt Lake City.

Surveyor General for Utah.

BOOK-A-167

R: 1879. (for 10)

Filed

1878.

Examined by John H. Campe

Compared by

FIELD NOTES

OF

THE SURVEY OF THE
Fractional East Boundary and
Fractional Subdivision Lines
of Township No 2 $\frac{1}{4}$ South, Range No 13 West,

of the Salt Lake Meridian in Utah Territory.

BY

Mark E. Britt,

U. S. DEPUTY SURVEYOR,

Under his Contract No. 84,

dated July 16th 1878.

Survey commenced August 16th 1878.

Survey completed August 30th 1878.

LJ.

FOR CHAINMAN.

We, John O'Brien
and William Lee
do solemnly swear that we will faithfully ex-
ecute the duties of chain carriers; that we will
level the chain upon uneven ground, and plum
the tally pins, whether by sticking or dropping
the same; that we will report the true distance
to all notable objects, and the true length of
all lines that we assist in measuring, to the
best of our skill and ability.

John O'Brien
Mark
W. Lee

Chainmen.

Subscribed and sworn to before me the
16th day of August 187 .

H. R. Hall

Deed of the Rail
of Grandison Recreves
Never County State Ge

FOR FLAGMAN.

I, John K.eller
do solemnly swear that I will well and truly
perform the duties of flagman, according to the
instructions given me and to the best of my
skill and ability.

John K.eller
mark

Flagman.

Subscribed and sworn to before me this

6th day of August 1878.

M. L. Pratt

Justice of the Peace
of Greenport Precinct,
Warren County, N.Y.
Territory

d truly
g to the
of my
nan.

me this
87 .

Field Notes of Extent-
ric. Lines of
Township 24 S.
Range 13 E.

19

Chains Townships 27 & 28 Range 13 & 14.

Aug 16th 1878

From a granite stone $14 \times 14 \frac{1}{2} \times 12$ in
marked 6 notches on each of 4
edges and witnessed by a
round of earth, being the
established corner to townships
27 & 28 S. Ranges 12 & 13 E.
North between ranges 12 & 13
along the east side of sec. 86

Va 16-28 East

- 28.00 Gravel drains S.E.
 40.00 Set lava rock $12 \times 10 \times 8$ in
 7 in deep, marked $\frac{1}{4}$ on
 west side, raised mound
 of stones for $\frac{1}{4}$ sec. cor.
 41.10 Gravel drains east
 80.00 Set lava rock $12 \times 10 \times 9$ in
 7 in. deep marked 1 notch
 on south and 5 notches on
 north edges, raised mound.

220

Chains Township 27 S. Range 13 E.

Chains

B.C.

of stones for corner to section

26, 36, 30 & 31

Sand broken

Soil poor

No timber

North along east side of section
25.

| | | |
|-------|--|-------|
| | Va 16-00 East | |
| 1.00 | Wash drains E. | 40.00 |
| 20.25 | Wash drains E. | |
| 30.00 | Summit of ridge bears E. & S.W. | |
| 40.00 | Set lava rock 1 $\frac{1}{2}$ x 10 x 8 in. 9 in. deep, marked $\frac{1}{4}$ on west side, raised mound of stones for $\frac{1}{4}$ ac. ac. | 80.00 |
| 80.00 | Set granite stone 14 x 14 x 8 in. 9 in. deep, marked 2 notches on south and 4 notches on north edges, raised mound | |

Claims Township 27 S. Range 13 E.

of stones for corner to section

24, 25, 1943

Sand broken

Soil poor

No timber

North along east side of sec-
tion 24

Va 16-00 East

40,000 Set sand stone 16 x 8 x 7 in
6 in. deep, marked $\frac{1}{4}$ in
west side, raised mound
of stones for $\frac{1}{4}$ rec. cor.

80,000 Set limestone 13 x 13 x 10 in
7 in. deep, marked 3 notches
each on south and north
edges, raised mound of
stones for corner to section

13, 24, 18 & 19

Sand broken

27

Chains Township 29 S. Range 13 W.

Soil poor

No timber

Note

North along east side sec. 13

Va 16° 00' East

40.00 Set sand stone 11x8x7 in
6 in deep, marked 44 on
west side, raised mound
of stones for 1/4 ac. cor.

80.00 Set quartzite stone 14x10x8 in
9 in. deep marked 4 notches
on south and 2 notches on
north edges, raised mound
of stones for corner to section

12, 13, 7 & 18

Land broken by low hills

Soil poor

No timber

The land beyond this being
broken and not considered

Chains Township 37 S. Range 18 E.

Surveyable the line is not
extended further

Note: For general description
see notes at close of
subdivisions

N E Brett

BOOK-A-167

Field Notes of Subdi-
visions of Township
27 S. Range 13 W.

BOOK-A-167

Township 27 Section R. 13. West.

| | | | | | | |
|------|------|----|-----|----|----|------|
| 6 | 234 | 5 | 4 | 3 | 2 | 1 |
| -253 | -252 | | | | | |
| 7 | 251 | 8 | 236 | 9 | 10 | 11 |
| -250 | -249 | | | | | -231 |
| 18 | 248 | 17 | 236 | 16 | 15 | 14 |
| -247 | -246 | | | | | -229 |
| 19 | 244 | 20 | 235 | 21 | 22 | 23 |
| -243 | -242 | | | | | -227 |
| 30 | 241 | 29 | 234 | 28 | 27 | 26 |
| -240 | -239 | | | | | -225 |
| 31 | 238 | 32 | 233 | 33 | 34 | 35 |
| | | | | | | 36 |
| | | | | | | 219 |

Chains Township 27^d, Range 18^e

(Aug 17th 18⁷⁸)

18/

Found a volcanic rock 72x40 in
marked 1 notch on east and
5 notches on west edges, being
the established corner to sections
1, 2, 35 & 36 on the south bound-
ary of the township
North between sections 35 & 36

Va 16° 00' East

40,00 Set granite stone 12x10x6 in
7 in. deep, marked 1/4 in
west side, raised mound of
stones for 1/4 sec. cor.

60,00 Summit of high hill

80,00 Set granite stone 12x8x6 in
7 in. deep, marked 1 notch
on south and one notch
on east edges, raised mound
of stones for corner to sec.

25, 26, 35 & 36

Chains Township 278. Range 1858.

Chains

Land broken

Soil poor

No timber

East on random line between
sections 25 & 36

40,00

40,00 Set temporary 1/4 sec. cor.

80,70 Intersect Mt. S. line 40 links
north of established corner to
sections 25, 36, 30 & 31

48,35

North 89° 43' W or on true
line between sections 25 & 36

80,00

Va 16° 00' East

40,36 Set granite stone 14x8x6 in
9 in deep. marked 1/4 on
north side, raised mound
of stones for 1/4 sec. cor.

80,70 Intersect established corner
to sections 25, 26, 33 & 36
Land broken

Chains Townships 27 & Range 13 S.D.

Soil poor

No timber

North between secos. 25 & 26

Va 16° 00' East

40,00 Set granite stone 14x8x6 in
9 in. deep, marked 1/4 in
west side, raised mound
of stones for 1/4 ac. cor.

48,33 Road to Frisco runs N.E.

80,00 Set granite stone 12x8x3 in
7 in. deep, marked 2 notches
on south and 1 notch on
east edges, raised mound
of stones for corner to
sections 23, 24, 25 & 26

Sand broken

Soil poor

No timber

80
Brain Township 278 Range 1880.

Brain

East on random line between

25.50. sections 24 & 25.
Road to Grice bears N.E.

40.00 Set temporary 1/4 rec. cor.

80.80 Intersect 11 + 8 line 50
links north of established
corner to sections 24, 25, 15 + 30
North 89° 33' West on
true line between sections 24 + 30
Va 16° 0' East

40.40 Set granite stone 12x8x6 in
8 in deep. marked 1/4 on
north side, raised mound
of stones for 1/4 rec. cor.

~~55.30 Road to Grice bears N.E.~~

80.80 Intersect established corner
to sections 23, 24, 25 + 26
Land broken
Soil poor
No timber

80.

- 1880 Chains from top 278 Rangt 1180.
 between North between secs. 23 & 24
 Va $16^{\circ} 0' E$ art
 40.00 Set limestone $14 \times 10 \times 4$ in
 9 in deep, marked $\frac{1}{4}$ in
 west side, raised mound
 of stones for $\frac{1}{4}$ sec, cor.
- Note
 From the $\frac{1}{4}$ section corner
 between sections 23 & 24
 U.S. M. M. No 1 consisting
 of a pine post 4×4 in. to
 which is fastened a board
 12×14 in. marked U. S.
 M. M. No. 2 braces
 North $81^{\circ} 43' E$ art
 27 chains and 51 links
 distant
- 80.00 Set granite stone $24 \times 12 \times 10$ in
 18 in. deep, marked 3
 notches on north and

Aug 19

Chains 100' long Township 77 S. Range 18 E.

Chain

1 watch on east edges, wires
around of stones for corner
to sections 13, 14, 23 & 24

Land broken

Soil poor

No timber

80,63

August 18th 1878East on random line be-
tween sections 13 & 24

40.00 Set temperature 71° rec., etc.

55.75 Magnitude of stars 71 + 8,

80.62 Direct 71 + 8 line 10

links south of established
corner to sections 13, 24, 18 & 19South 89° 5' 6" West on true
line between secs. 13 & 24

Va 16° 00' East

40.0

24, 87. Chain direct of true bearing
~~44.48.~~

80.00

40.61 Set quartzite stone 14x14x13 in.

| | |
|--|---|
| 1380 | Chains Townships 3 & 8 Range 13 81. |
| raised over 1 | 9 in. deep, marked 1/4 acre north side, raised mound of earth from 2 pits each 34x13x13 in. for 1/4 acre. cor. |
| 878 be = cor. 10 listed 18+14 one 24 earthen x 13 in. | 80,62 Plot established corner to sections 13, 14, 23 & 24 Land broken by low hills Soil poor No timber |
| | North between sections 13 & 14 Va 15° 30' East |
| | 40.00 Set granite stone 16x10x8 in 10 in. deep, marked 1/4 acre west side, raised mound of stones for 1/4 acre. cor. |
| | 80.00 Set limestone 14x12x6 in 9 in. deep, marked 1/4 |

2.1

8001

Chains Townships 27 & Range 13 S. Chains

Watches on south and north
on east edges, raised mound
of stones for corner to section
11, 12, 13 + 14

80,64

Sand broken
Soil poor
No timber

East on random line between
sections 12 + 13

40,00 Set temporary 114 rec, cor.

80,64 Intersect N. + S., line 20
links with of established
corner to recs. 12, 13, 4 + 18

North 89-51 Street on true
line between sections 12 + 13

Via, 16°-0' East

40,32 Set quartzite stone 15 x 8 x
6 in 9 in deep, marked
114 on north side, raised

Chains Township 3rd S. Range 13th.

Mound of stones for 1/4 acre,
80,640 feet of stone established
over to sections 11, 12, 13 & 14.
Sand broken by low hills
Soil poor
No timber

The interior of this township
being bounded by high
mountains in a northwesterly
and westerly direction
the remaining subdivisions
are as follows viz,

From a sand stone ¹⁶ x 10 x 5 in
marked 4 notches on east
and 2 notches on west edge
being the established corner
To sections 32, 33, 44 & 5 on the
south boundary of the Township.

12 30

Chains Township 278, Range 188d. Chains I

North between sections 32 & 33

Va 16° 0' East

| | | |
|-------|------------------------------------|-------|
| 40,00 | Set granite stone 14x10x6 in | 40,00 |
| | 9 in deep, marked $\frac{1}{4}$ on | |
| | west side, raised mound | |
| | of earth from 2 pits each | |
| | 24x12x12 in. for 1/4 acre. | |
| 80,00 | Set granite stone 14x14x6 in | 80,00 |
| | 9 in. deep, marked 1 | |
| | notch on south and 4 | |
| | notches on east edges. | |
| | raised mound of earth | |
| | from 4 pits each 24x | |
| | 12x12 in for corner to | |
| | sections 28, 29, 32 & 33 | |
| | Fairly level plain | |
| | Soil coarse sand | |
| | No timber | |

Chains Saw Mill 278, Range 1385.

North between sections 28 & 29
Var 17° 6' East

40,000 Set granite stone 14x10x6 in

9 in. deep, marked 114 on

west side, raised mound
of earth from 2 pits each

24x12x12 in for 114 m, cor-

80,000 Set granite stone 15x10x8 in

9 in. deep, marked 2 notches
on south and 4 notches on
east edges, raised mound
of earth from 4 pits

each 24x12x12 in for
corner to sections 20, 21, 28

+ 29

Sand level plain

Soil poor

No timber

Chains Township 27th Range 13th.

Chains

600

North between sections 20 & 21

Va 16th to East

10,10 Road bears E & S.

12,50

25,00 Road bears N, S.

40,00

31,50 Wark drains N, S.

40,00 Set granite stone 14x13x8 in
9 in deep, marked $\frac{1}{4}$ on
west side, raised round
of stones for $\frac{1}{4}$ ac. cor.

80,00

80,00 Set granite stone 18x12x7 in
10 in deep, marked 3 notches
on south and $\frac{3}{4}$ notches on
east edges, raised round
of stones for corner to sec-
tions 16, 17, 20 & 21

Sand bench

Soil from

No timber

40,0

Chairs Township 2nd Sd Augt 1882.

Burth between recs. 16 & 17

Va 16° 28' East

12.50 Road bears N.E. & S.E.

40.00 Set granite stone 12x8x6 in
7 in. deep, marked 1/4 on
west side, ruined. round
of stones for 1/4 rec. cr.

30.00 Set granite stone 18x8x6 in
12 in. deep, marked 4 matches
on south and 4 matches on
east edges, ruined round
of stones for corner to rec-
tang 8, 9, 16 + 17

Land bench

Soil poor

No timber

Burth between recs 8 & 9

Va 17° 0' East

40.00 Set granite stone 16x8x6 in
10 in. deep, marked 1/4 on

237

B001

Chains Township 27 S. Range 18 E.

Chains

west side, raised round
of stones for 1/4 rec. cor.

44,00 Begin to ascend rocky bench

79,10 Dark drains 8 ft.

80,00 Set granite stone 15x10x6 in
9 in. deep, marked 8 notches
on south and 4 notches on
east edges, raised round
of stones for corner to
sections 7, 8 & 9

Sand bench

Soil poor

No timber

13,00

40,00

40,40

80,00

Aug 18th 1878

From a quartzite stone 17x10x8 in
marked 8 notches on its east
and 1 notch on the west
edges, being the established
corner to sections 5, 6, 8 & 9

Chains Townships 24 S. Range 13 E.

on the south boundary line
of the township

North between sec. 81 & 82

Va 16° 00' East

- 13.00 Road bars N.E. & S.W.
Set granite stone 12x8x6 in
7 in. deep, marked 1/4 on
~~front~~ ^{front} side, raised around
of earth from 2 pits each
24x12x12 in. for 1/4 sec cor.
40.00 Road bars N.W. & S.E.
80.00 Set sand stone 12x8x6 in
7 in. deep, marked 1
notch on south and 5
notches on east edges,
raised around of earth
from 4 pits each 24x12
x12 in. for corner to
sections 29, 30, 31 & 32
Land level plain

Chains Township 27 S. Range 13 E.

Chains

Soil coarse sand

No timber

East on random line between
sections 29 & 32

40,00 Set temporary 1/4 rec. cor.

80,10 Intersect N & S line 48

40,00

links south of established
corner to sections 28, 29.

32 & 33

South $89^{\circ} 39'$ West on true
line between sections 29 & 32

Via $17^{\circ} 0' 6$ East

40,03 Set granite stone $12 \times 8 \times 6$ in

1 in deep marked 1/4 rec.

36,50

north side raised mound
of earth from 2 piles each

$24 \times 13 \times 12$ in per 1/4 rec. cor.

80,10 Intersect established corner
to sections 29, 30, 31 & 32

36,50

BOOK-A-167

Chain Township 278 Range 18 S.

Sand and plain

Soil poor

No timber

West on random line be-
tween sections 30 & 31

46,00 Set temporary 1/4 rec, cor.

76,30 Unlased 11 & 8 line 38

Links south of established
^{or limestone 16.12.10}
corner to section 25, 36

30 & 31

North 89° 44' East on line
line between sections 30 & 31

Va 16° 00' East

86,30 Set granite stone 11x8x6 in
6 in. deep, marked 1/4 on
north side, raised mound
of earth from 3 pits each
24x12x12 in for 1/4 rec, cor.

76,30 Unlased established corner

Chains Township 2nd S. Range 13 E. Chaine
corner to section 29, 30
81 & 82

Land level plain

Soil poor

No timber

North between sections 29 & 30

40.00
61.50.
80.00

Va 16' 0" East

40.00 Set granite stone 12x8x6 in
7 in. deep. marked 1/4 on
west side, raised mound
of salt from 2 pits
each 24x12x12 in. for 1/4 acre.

80.00 Set granite stone 12x9x5 in. 40.00
7 in. deep. marked 2 notches
on south and 5 notches
on east edge, raised
mound of salt from
4 pits each 24x12x12 in. 18.53
for corner to ad. 18, 20, 28 & 80 40.02

80. Chain Township 278 Range 13 E.
Soil poor

Land level prairie

No timber

East on random line be-
tween sections 20 & 29

40.00 Set temporary 17x10x6 in
61.50. Stake driven N.W.
80.05 Underwood 61 & 8 line 40 links

south of established corner
to sections 20, 21, 28 & 29

South 89° 43' West on tree
line between sections 20 & 29

Via 16° 00' East

40.02 Set granite stone 14x10x6 in
9 in. deep, marked W on
north side raised second
of earth from 2 posts each
24x13x12 in., the 111 sec. or
1833 Stake driven N.W.

40.02 Set granite stone 14x10x6 in

Chains Township 278 Range 1881.

Gives deep marked 1/4 ac south side, raised mound of earth from 3 piles each 24x12x12 in for 1/4 rec. cor.

80,05' intersect established corner to 36,60' sections 19, 20, 29 & 30

Sand level plain

Soil poor

No timber

76,60'

West on random line be-
tween sections 19 & 30.

40,00'. Set temporary 1/4 rec. cor.

76,60' intersect N & S line 60

links north of established

corner to a ~~spherical~~^{Blue limestone} rock

14x10x9

~~8x6~~ in. marked 2 notches
on south and 4 notches
on north edges, being
the established corner

3530

40,00

BOOK-A-167

Chairs Township 278 Range 1380.

To sections 19, 30, 24 & 25

North 89° 84' East on line
line between sections 19 & 30.

Va 16° 00' East

125 36,60 Set granite stone 14x12x9 in
9 in deep, marked 1/4 on
north side, raised forward
of earth from 2 pits each
24x12x12 in. for 1/4 rec. cor.

76,60 Interest established

corner to sections 19, 20, 29 & 30

Sand level plain

Soil poor

No timber

Aug. 20th 1838

North between sections 19 & 20

Va 16° 00' East

3530 Road bears E & W.

40,00 Set quartzite stone 14x12x10 in

Chains Townships 27 S. Range 18 E.

Gin, deep, marked 1/4 on west side, raised mound of earth from 2 pits each 24x12x12 in for 1/4 rec, etc.

49.50 Dark drains west

71.25 Dark drains N. E.

80.00 Set of granite stone 18x6x5 in. 12 in deep marked 3 notches on south end 1/4, 6 1/4, 1/4 notches on east edges 1/4, 2 1/4, 1/4 raised mound of earth from 4 pits each 24x12x12 in. for corner to section 17, 18, 19 & 20

Sand gravelly bench

Soil poor

No timber

10.00

60.160.

60.980

71.30

~~19.00~~

19.20

39.90

79.80

1880. Chain 1000 ft 27° S Range 1380
 East or random line between
 sections 17 + 20
- 46.00 Set 112 per acre $\frac{1}{4}$ rec. cor.
 60.16^c Road bears S.E.
 60.80^c Road bears N.E.
- 77.80 Intersected 7 + 8 line 50
 links south of established
 corner to sections 16, 17, 20 & 21
 South 89° 38' West on true
 line between sections 17 + 20
- Va. 16° 28' East
- ~~17.44 Road bears S.E.~~
- ~~19.20 Road bears S.E.~~
- 39.90 Set granite stone 11 x 8 1/2 in
 9 in. deep, marked $\frac{1}{4}$ on
 north side, raised around
 of stones for $\frac{1}{4}$ rec. cor.
- 79.80 Intersect established
 corner to sections 17, 18, 19 + 20
- Sand bench
- Soil poor
- No timber

600

| | | |
|---|---------|--|
| | | |
| Chains 1000 ft. 27 S. Range 138 E. Chains 1000 ft. | | |
| Went on random line N.E. 77,00 ft. | | |
| Upper section 18 & 19 Ravine drains N.W. 1/4 sec. cor. | | |
| 15.00 Set temporary 1/4 sec. cor. | | |
| 40.00 77,00 Intersect N.E. line 58 | | |
| Links north of a granite stone 8x6 in. marked 3 notches on south and 3 notches on north edges being the established corner to sections 18, 19, 18 & 20 | 14x11x7 | |
| North 88° 35' East on true 40,00 ft. line between sections 18 & 19 | | |
| Va. 16° 00' East | | |
| 37,00 Set limestone 12x12x6 in 7 in deep, marked 1/4 84,50 ft. on north side, raised 80.00 ft. round of earth from 2 pits each 24x12x18 in for 1/4 sec. cor. | | |
| 62,00 Ravine drains N.W. | | |

- 1382 Churn Township 27 S. Range 18 E.
 6- 77,000 Granite set established corner
 to sections 17, 18, 19 & 30
 land west 1/2 level plain
 east 1/2 bench
 Soil poor
 No timber "
- anite
 43
 13
 dges
 1
 18 & 22
 18 & 19
 x 6 in
 1/4 84,500 Ravine drains N, 87,
 red 80,000 Set granite stone 11x10x6 in
 base 9 in deep, marked 4
 notches on west end
 8 notches on east edges
 raised round of stones

Chains Townships 2 & 3, Range 138th bals 1st
 former to sections 7, 8, 14, 50 &
 11 & 18 80, 10 2nd

Sand gravelly bench
 Soil poor
 No timber

Cast on sandstone line between
 sections 8 & 17

Road bears N 8 deg and S 76.
 Set temporary $\frac{1}{4}$ rec. cor.
 Drives at N & S line 44 links 40, 00
 south of established corner 76, 00
 to sections 8, 9, 16 & 17

South 89-418 set on true
 line between sections 8 & 17

Va 17° 00' East

40, 05 Set granite stone 16x10x8 in
 10 in. deep, marked $\frac{1}{4}$ on
 north side, raised around
 of stones for $\frac{1}{4}$ rec. cor.

1388 Survey line 2' S. Range 18 S.
7.8. 4450 Road base N. E. + S. E.

6010 Unmarked established corner
to sections 7, 8, 17 + 18
Faint bench
Soil poor
No timber

Start on random line
between sections 7 + 18

4 links " 40,00 Set Tempwarz, 14 sec. cor.
46,50 Unmarked N + S line 50 links
north of a ~~granite~~ blue line stone
11x10x7 in marked 4 notches
on south and 2 notches on
north edges, being the es-
tablished corner to sections
7, 18, 12 + 13

North 89° 39' East on true
line between sections 7 + 18
Via 16" " " East

Chains Township 278, Range 138. Chains 16

36,80 Set granite stone 13x10x8 in

7 in deep, marked 1/4 on
north side raised toward
of south face 3 pits each

24x12x12 in for 1/4 rec. cor.

76,80 Unlocated established corner
to sections 7, 8, 17 & 18

Land principally bench
Soil poor

No timber

40.03
446.06
80.02

North between sections 7 & 8

Va 15°-06' East

40,00 Set granite stone 15x8x6 in

9 in. deep, marked 1/4 in
west side raised toward
of south face for 1/4 rec. cor.

41,60 Begin to ascend rocky bank

Set granite stone 24x18x12 in
18 in. deep, marked 1/4 in

44.06
40.03

1887, Chains Township 27 S. Range 13 E.

on south and S. notches on
east edges, mixed amount
of stones for corner to
sections 5, 6, 7 & 8
Sand rocky bench
Soil poor
No timber

East on random line between
sections 6 & 8

40.00 Set temporary 1/4 sec cor.

46.06 Road bears N.E. and S.W.

80.00 Willowchit & 8 line 36 links

south of the established corner
to sections 4, 5, 8 & 9

South 89° 44' 82 on true
line between sections 5 & 8

Via, 17° 06' East

46.43 Set temporary 1/4 sec cor.

34.06 ~~road bears N.E. and S.W.~~

40.03 Set granite alone 14x12x8 in

b600.1

Chains Townships 27 & Range 138^E. " chains 11
 9 in. deep, marked $\frac{1}{4}$ ac. on
 north side raised surface
 of stones for $\frac{1}{4}$ ac., cor.
 80,06 Surveyor established corner 36,64
 to sections 5, 6, 7 & 8
 Sand rocky beach
 Soil poor
 No timber 76,64
 l
 Met on random line, be
 tween sections 6 & 7
 Set temporary $\frac{1}{4}$ ac. cor.
 76,64 Surveyor 71 & 8 line 36
 links north of ~~established~~
 corner a ^{Blue Line.} ~~granite~~ stone
 13 x 9 x 7 in. marked 3 inches 23,00
 on the south and one 37,00
 notch on the north also 40,00
 being the established corner
 to sections 6, 7, 1 & 8

387. Drains 1000 ft S Range 13 Rd.
North 89° 45' East on true line
between sections 6 & 7
Va 16-00 East
corner 36, 64 Set quartzite stone 12x8x6 in
9 in deep marked $\frac{1}{4}$ in with
side raised mound of stones for
 $\frac{1}{4}$ sec. cor.
- 76, 64 Drives at established corner
to section 5, 6, 7 & 8
Sand rocky bench
Soil poor
No timber
- 36
Drives between sections 5 & 6
Va 17° 00' East
23, 00 Gravel drains 11, 57.
37, 00 Gravel drains 51.
40, 00 Set quartzite stone 14x13x6 in
9 in. deep. marked $\frac{1}{4}$
on west side raised mound

2
Chains Townships 27 & Range 18 N.
of stones for 1/4 sec, over
land rocky bench
Soil poor
No timber

Note, The land beyond
this point being high
bench and covered with
large boulders the lines
are not extended further
west

General Description
Through the center of
this township extends
the San Francisco
mountains in a
northward and southward
direction, The portion
surveyed is principally
bench land with consist-

73

erable brick & was growing
thereon, in section 13 & 24
principally. In section 18
is the mining town of Frisco
which is a small collection
of houses apparently, hardly
constructed. Also in section
13 are two smelters em-
ployed in reducing ores
from the Horn Silver
mine which is near
by in a south westerly
direction.

Benet E. Britt
U.S. Dep. Surveyor

The following mining
claims are delineated
in this Township. viz.
in section 23 the "Horn
Silver" lot N^o 38; in section
13 the "Horn Silver Mill Site"
lot N^o 38^B. The "Granite
Smelter Mill Site" lot N^o 40
The "Gisco Mill Site" lot
N^o 41; in sections 15 & 16
The "Silveropolis" lot N^o 37.
in section 3 the "Cactus
Lode" lot 39^a; in section
24 the "Cactus Mill Site"
lot N^o 39^B

LIST OF NAMES.

A list of the names of individuals employed
to assist in running, measuring or marking
the lines and corners described in the forego-
ing Field Notes of the

Township 27 S Range 13 E.
of Salt Lake Meridian

Mining claim situated in

Mining District

County, Utah Territory

showing the respective capacities in which they
acted.

John O'Brien

Chainman.

William Lee

Chainman.

John Keller


Flagman.

Axeman.

BOOK-A-167

268

Subscribed and sworn to by the above named persons, before me, a Justice of the Peace of Grangeville Precinct for the county of Bear, in the Territory of Utah, this 20th day of August 1878.


Marcel B. Britt
Precinct

I, Marcel B. Britt, United States Deputy Mineral Surveyor, do solemnly swear, that in pursuance of a contract with Fred Salazar, Surveyor General of the public lands of the United States in the Territory of Utah, bearing date the 16th day of July 1878, and in strict conformity to the laws of the United States, the Manual of Surveying Instructions, and the instructions furnished by the said Surveyor General, I have faithfully surveyed the

Township 27 S Range 18 E.

Mining Claim situated in

Salt Lake Meridian

Mining District

DOC

U. S. SU

Salt

Since
made

Townsh
of
Executive

Under.

day of

Aug.

amine

made

cribe

County

in the Territory aforesaid, and do further solemnly swear that the foregoing are the true and original Field Notes of such survey.

Alfred G. Britt

U. S. Deputy Mineral Surveyor.

Subscribed by the said

E. G. Britt United States Deputy

Mineral Surveyor, and sworn to before me,

Colorado of the 2nd Judicial

for the county of ~~District Court~~, in the

Territory of Utah, this 29th day of

August 1878.

H. D. Wilder,

Acting Judge District

Court of Utah,

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, November 26th 1878,

The foregoing field notes of the survey of the ...
Fractional East Precinct and

Fractional Subdivision, Section of

Township No. 2^d South Range No. 13 West
of the Salt Lake Meridian.
Executed by ... Newell E. Britt.

No. 841.

Under his contract of the ... 16th

day of July 1878, in the month of

August 1878, having been critically ex-

amined, the necessary corrections and explanations
made, the said field notes, and the surveys they de-
scribe are hereby approved.

U. S. Surveyor General for Utah.

BOOK A 167

Filed Oct 31, 1878.

Examined by W. A. Golinski.

Compared by

FIELD NOTES

OF

THE SURVEY OF THE

Fractional South Boundary and
Additional Subdivisions,
of Township No 6 North, Range No 1 West,
of the Salt Lake Meridian in Utah Territory.

BY

Obed A. Palmer,

U. S. DEPUTY SURVEYOR,

Under his Contract No. 83,

dated June 27th 1878.

Survey commenced October 26th 1878.

Survey completed October 26th 1878.

For CHAINMEN.

167

We, B. Brigham Stowell
and W. H. Packard
do solemnly swear that we will faithfully
execute the duties of chain carrier; that
we will level the chain upon uneven
ground, and plumb the tally pins, whether
by sticking or dropping the same; that we
will report the true distance to all notable
objects, and the true length of all lines that
we assist in measuring, to the best of our
skill and ability.

Brigham Stowell

Wm H. Packard

Subscribed and sworn to before me,
this 20 day of October, 1875.

William Bitchlow Jr

Notary Public in and for

Wasatch County, Utah

Tentouy

363

FOR FLAGMAN.

I, Wm. P. R. Howell

do solemnly swear that I will well and truly perform the duties of flagman, according to instructions given me, and to the best of my skill and ability.

Wm. P. R. Howell

Subscribed and sworn to before me,
this 26 day of October, 1878

William Crichton

*Nolan Peetie or and/or
Wasatch County, Utah Territory*

BOOK-A-167

ownship 6, Island R. I. West.

| | | | | | |
|----|----|----|-----|-------|----|
| 6 | 5 | 4 | 3 | 2 | 1 |
| + | + | + | + | + | + |
| 7 | 8 | 9 | 10 | 11 | 12 |
| + | + | + | + | + | + |
| 18 | 17 | 16 | 15 | 14 | 13 |
| + | + | + | + | + | + |
| 19 | 20 | 21 | 22 | 23 | 24 |
| + | + | + | + | + | + |
| 30 | 29 | 28 | 27 | 26 | 25 |
| + | + | + | + | + | + |
| 31 | 32 | 33 | 34 | 26/35 | 36 |
| | | | 266 | | |

1000 ft.

South Boundary S. 6 A. R. 1 W
 chains Begin at cor to sec. 34. 33
 and 34 on south line of Town -
 ship on Aft meridian

Then East on true line between
 secs 3 and 34

To $16^{\circ}10' E$

- 10.66 Go Road running N. 21. X
 S. 6.
- 11.80 Go Washout N. 11. & S. 6.
- 14.50 Go Ravine S. 6.
40. Go a post with pile and
 mound of earth which 2
 now recognize as a $\frac{1}{4}$ sec
 tr. Rel. on former survey
43. Go fence running N. 62. X
 S. 6.
- 51.36 Go water ditch running
 N. W.
- Leave old survey.
- 55.00 Go Ravine bearing N. W.
 55.15

267

BOOK

Additional Subdivision line S. 6 N. R. 1 W. additional
 80.00 Set cedar post 4 feet long
 in mound of earth ^{with} with
 3 feet in the ground, and one
 foot out of the ground, and
 marked ⁱⁿ two notches on the
 East and four notches on
 west edges for in to see
 35. 34. 3. 2. Land rolling &
 1st flat

It being impracticable to
 extend this line further east
 by reason of steep mountains,
 I run from the above road
 north between sections

34835

Va. 16 10 E

ascend south west slope

- 30- To ridge E & W then descend
 40. Set cedar post 3 feet long
 in mound of earth with pile

additional subdivision lines F.G.N.R. 1 W.

tur feet in the ground and one foot out of the ground and marked $\frac{1}{4}$ on west side for $\frac{1}{4}$ sec. cor.

Land rolling - Soil 2nd rate

I abandon the line here as this includes all the surveyable land in the township

General Description

The former survey included all the surveyable land in this township except what appears in this additional survey.

The balance of township is mountainous and unfit for cultivation. There being no ~~expectation~~ of mineral return the portion occupied as agricultural land. Brigham Lowell's house is situated near the center of

Additional Subdivision lines T 6 N - R 1 W
of N.W. 1/4 of the S.E. 1/4 of sec.
34. About 10 acres of meadow
land is situated north of the house
and about thirty acres are under
cultivation situated south west
of the house as shown upon the
plat.

Obal A. Palmer
U.S. Dep Surveyor

270

LIST OF NAMES.

A list of the names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of
additional survey of exterior
and subdivision lines in
D. G. R. R. W.

showing the respective capacities in which they acted.

Brigham Storrell
Chainman.

W^m K. Packard
Chainman.

W^m R. R. Storrell
Flagman.

Axeman.

We hereby certify that we assisted
Abel A. Palmer U.S.

Deputy Surveyor
in surveying additional exterior
and subdivision lines in
T. C. N. R. I. W.

and that said Survey
has been in all respects, to the best of our
knowledge and belief, well and faithfully
surveyed, and the boundary monuments
planted according to the instructions fur-
nished by the Surveyor General.

Brighton Howell

Chainman.

Wm. H. Packard

Chainman.

Wm. R. Howell

Flagman.

Axeman.

272

Subscribed and sworn to by the above
named persons, before me, a Notary Public
in and - - - for the County
of Weber - - - , in the Territory
of Utah, this 26th day of October
1878

William Cutshaw

Notary Public in
and for Weber County U. S.

I, Obed A. Palmer U.S.
Deputy U.S. Surveyor, do
solemnly swear, that in pursuance of a
contract with Fred Salomon
Surveyor of the public lands of the United
States in the Territory of Utah, bearing
date the 27th day of June,
187⁷, and in strict conformity of the laws
of the United States, the Manual of Sur-
veying Instructions, and the instructions
furnished by the said Surveyor General, I
have faithfully surveyed the additional
exterior and subdivision lines
in T. 6 N R. 1 W.

in the Territory aforesaid, and do further

276
U.S. SURVEYOR'S
SALISBURY, UTAH
BO
solemnly swear that the foregoing are
true and original field-notes of said
survey.

Obed A. Palmer

Deputy Mineral Surveyor

Subscribed by the said Obed A.
Palmer Deputy Mineral Surveyor
and sworn to before me, a Notary
Public for the County
of Salt Lake, in the Territory
of Utah, this 31st day of October
1878

F. C. Bailey
Notary Public

Township
of the Salt
Lake City
Executed at

Under
day of
October

examined, the
made, the
cribe are he

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, March 19th 1879.

The foregoing field notes of the survey of the ...

additional exterior and subdivision lines of

Township No. 6 North Range No. 1 West
of the Salt Lake Meridian, Utah Territory,
Executed by Chas. A. Palmer.

Under his contract of the 27th day of June 1878.

day of June 1878, in the month of

October 1878, having been critically ex-

amined, the necessary corrections and explanations

made, the said field notes, and the surveys they de-

cribe are hereby approved.

Chas. A. Palmer

U. S. Surveyor General for Utah.